
































BSP SV60°
ADAPTERS
ADATTATORI
ADAPTATEURS
ADAPTER
ADAPTADORES

BSP ADAPTERS














	ADAPTER BSPP MALE	ANGG 31000	pag. 10
	ADAPTER BSPP MALE - BSPT MALE	ANGK 31010	pag. 11
	ADAPTER BSPP MALE - NPT MALE	ANGNPT 31015	pag. 12
	ADAPTER BSPT MALE	ANKK 31020	pag. 13
	ADAPTER METRIC MALE	ANMM 31025	pag. 14
	REDUCING ADAPTER BSPP MALE	ARGG 31050	pag. 15
	REDUCING ADAPTER BSPP MALE - METRIC MALE	ARGM 31055	pag. 16
	REDUCING ADAPTER METRIC MALE	ARMM 31060	pag. 18
	REDUCING ADAPTER BSPP MALE - BSPT MALE	ARGK 31070	pag. 19
	BULKHEAD ADAPTER BSPP MALE	ANGG..P 31080	pag. 20
	BULKHEAD ADAPTER METRIC MALE	ANMM..P 31085	pag. 21
	ADAPTER BSPP MALE - BSPP SWIVEL FEMALE	AMFDG 31500	pag. 22
	ADAPTER BSPP MALE - BSPP SWIVEL FEMALE	AMFDG 31505	pag. 23















	ADAPTER BSPP SWIVEL FEMALE	AFFDG 31510	pag. 24
	ADAPTER METRIC MALE - METRIC SWIVEL FEMALE	AMFDM 31520	pag. 25
	ADAPTER METRIC SWIVEL FEMALE	AFFDM 31525	pag. 26
	ADAPTER BSPP MALE - METRIC SWIVEL FEMALE	AMFDGM 31530	pag. 27
	90° ADAPTER BSPP MALE - BSPP SWIVEL FEMALE	AMF90G 31550	pag. 28
	90° ADAPTER BSPP SWIVEL FEMALE	AFF90G 31555	pag. 29
	45° ADAPTER BSPP MALE - BSPP SWIVEL FEMALE	AMF45G 31560	pag. 30
	45° ADAPTER BSPP SWIVEL FEMALE	AFF45G 31565	pag. 31
	90° ADAPTER METRIC MALE - METRIC SWIVEL FEMALE	AMF90M 31570	pag. 32
	90° ADAPTER METRIC SWIVEL FEMALE	AFF90M 31575	pag. 33
	45° ADAPTER METRIC MALE - METRIC SWIVEL FEMALE	AMF45M 31580	pag. 34
	45° ADAPTER METRIC SWIVEL FEMALE	AFF45M 31585	pag. 35
	ADAPTER BSPP MALE - BSPP FIXED FEMALE	APMFG 32000	pag. 36
	ADAPTER METRIC MALE - METRIC FIXED FEMALE	APMFM 32005	pag. 37















	LONG ADAPTER BSPP MALE	APMMG 32010	pag. 38
	ADAPTER BSPP FIXED FEMALE	APFFG 32020	pag. 39
	ADAPTER METRIC FIXED FEMALE	APFFM 32025	pag. 40
	REDUCING PLUG BSPP MALE - BSPP FIXED FEMALE	ARMFC 32030	pag. 41
	DIN REDUCING ADAPTER BSPP MALE FORM E - BSPP FIXED FEMALE	ARMG..ELFFG 32032	pag. 42
	REDUCING PLUG BSPP MALE - METRIC FIXED FEMALE	ARMFCM 32035	pag. 43
	REDUCING PLUG METRIC MALE - BSPP FIXED FEMALE	ARMFCM 32040	pag. 44
	REDUCING ADAPTER BSPP MALE - BSPP FIXED FEMALE	ARMFL 32050	pag. 45
	DIN LONG ADAPTER BSPP MALE FORM E - BSPP FIXED FEMALE	APMG..ELFFG 32052	pag. 47
	REDUCING ADAPTER BSPP MALE - METRIC FIXED FEMALE	ARMFLM 32055	pag. 48
	REDUCING ADAPTER METRIC MALE - BSPP FIXED FEMALE	ARMFLM 32060	pag. 49
	REDUCING ADAPTER METRIC MALE - METRIC FIXED FEMALE	ARMFLM 32065	pag. 50
	PLUG BSPP MALE	ATMG 32500	pag. 51
	DIN INNER HEXAGON PLUG BSPP FORM E	ATMG..ELX 32502	pag. 52













	PLUG BSPP SWIVEL FEMALE	ATFG 32510	pag. 53
	PLUG METRIC MALE	ATMM 32520	pag. 54
	DIN INNER HEXAGON PLUG METRIC FORM E	ATMM..ELX 32522	pag. 55
	PLUG METRIC SWIVEL FEMALE	ATFM 32525	pag. 56
	WELDING ADAPTER BSPP MALE	AMNS 32530	pag. 57
	WELDING ADAPTER BSPP MALE WITH POCKET	AMNS..T 32535	pag. 58
	WELDING ADAPTER METRIC MALE	AMNSM 32540	pag. 59
	WELDING ADAPTER METRIC MALE WITH POCKET	AMNSM..T 32545	pag. 60
	WELDING UNION BSPP MALE	ATSG 32550	pag. 61
	WELDING UNION METRIC MALE	ATSM 32555	pag. 62
	WELDING STUD BSPP	ABSG 32560	pag. 63
	WELDING STUD METRIC	ABSM 32565	pag. 64
	WELDING BANJO BSPP	AOSG 33000	pag. 65
	WELDING BANJO METRIC	AOSM 33005	pag. 66

INDEX

	BSPP BANJO - BSPP MALE	AOFG 33010	pag. 68
	BSPP BANJO - METRIC MALE	AOFGM 33015	pag. 69
	METRIC BANJO - BSPP MALE	AOFMG 33020	pag. 70
	BSPP BANJO - BSPP MALE WITH GUIDE	AOFG..B 33025	pag. 71
	METRIC BANJO - METRIC MALE	AOFM 33030	pag. 72
	METRIC BANJO - DIN MALE	AOM..L 33035	pag. 73
	BSPP BANJO - DIN MALE	AOG..L 33040	pag. 74
	BSPP BANJO WITH STANDPIPE	AOG..PDL 33045	pag. 75
	BSPP BOLT	ABFG 33050	pag. 76
	METRIC BOLT	ABFM 33055	pag. 77
	DOUBLE BSPP BOLT	ABFDG 33060	pag. 78
	DOUBLE METRIC BOLT	ABFDM 33065	pag. 79
	90° ELBOW ADAPTER BSPP MALE	LMG 35000	pag. 80
	90° ELBOW ADAPTER METRIC MALE	LMM 35005	pag. 81

	90° ELBOW ADAPTER BSPT MALE	LMGK 35010	pag. 82
	90° ELBOW ADAPTER NPT MALE	LMN 35015	pag. 83
	90° ELBOW ADAPTER BSPT MALE - BSPP MALE	LMGK..MG 35020	pag. 84
	90° ELBOW ADAPTER BSPP MALE - NPT MALE	LMG..MN 35025	pag. 85
	90° ELBOW ADAPTER BSPT MALE - BSPP FIXED FEMALE	LMGK..FFG 35030	pag. 86
	90° ELBOW ADAPTER NPT MALE - NPT FIXED FEMALE	LMN..FFN 35035	pag. 87
	90° ELBOW ADAPTER BSPP FIXED FEMALE	LFFG 35040	pag. 88
	90° ELBOW ADAPTER NPT FIXED FEMALE	LFFN 35045	pag. 89
	90° ELBOW ADAPTER BSPP MALE - BSPP SWIVEL FEMALE	LMG..FGG 35050	pag. 90
	90° ELBOW ADAPTER BSPT MALE - BSPP SWIVEL FEMALE	LMGK..FGG 35055	pag. 91
	90° ELBOW ADAPTER NPT MALE - BSPP SWIVEL FEMALE	LMN..FGG 35060	pag. 92
	90° ELBOW ADAPTER METRIC MALE - METRIC SWIVEL FEMALE	LMM..FGM 35065	pag. 93
	90° ELBOW ADAPTER BSPP SWIVEL FEMALE	LFGG 35070	pag. 94
	90° ELBOW ADAPTER METRIC SWIVEL FEMALE	LFGM 35075	pag. 95


	90° ELBOW ADJUSTABLE ADAPTER MALE BSPP - MALE BSPP with O-Ring and Retaining Ring	LMG..MOG 35080	pag. 96
	90° ELBOW ADJUSTABLE ADAPTER METRIC MALE - METRIC MALE with O-Ring and Retaining Ring	LMM..MOMR 35085	pag. 97
	TEE ADAPTER BSPP MALE	TMG 35500	pag. 98
	TEE ADAPTER METRIC MALE	TMM 35505	pag. 99
	RUN TEE ADAPTER BSPP MALE - BSPT MALE	TMG..MGK..B 35510	pag. 100
	RUN TEE ADAPTER BSPP MALE - NPT MALE	TMG..MN..B 35515	pag. 101
	BRANCH TEE ADAPTER BSPP MALE - BSPT MALE	TMG..MGK..P 35520	pag. 102
	BRANCH TEE ADAPTER BSPP MALE - NPT MALE	TMG..MN..P 35525	pag. 103
	RUN TEE ADAPTER BSPP FIXED FEMALE - BSPT MALE	TFFG..MGK..B 35530	pag. 104
	RUN TEE ADAPTER NPT FIXED FEMALE - NPT MALE	TFFN..MN..B 35535	pag. 105
	BRANCH TEE ADAPTER BSPP FIXED FEMALE - BSPT MALE	TFFG..MGK..P 35540	pag. 106
	BRANCH TEE ADAPTER NPT FIXED FEMALE - NPT MALE	TFFN..MN..P 35545	pag. 107
	TEE ADAPTER BSPP FIXED FEMALE	TFFG 35550	pag. 108
	TEE ADAPTER NPT FIXED FEMALE	TFFN 35555	pag. 109

	RUN TEE ADAPTER BSPP MALE - BSPP SWIVEL FEMALE	TMG..FGG..B 35560	pag. 110
	RUN TEE ADAPTER METRIC MALE - METRIC SWIVEL FEMALE	TMM..FGM..B 35565	pag. 111
	BRANCH TEE ADAPTER BSPP MALE - BSPP SWIVEL FEMALE	TMG..FGG..P 35570	pag. 112
	BRANCH TEE ADAPTER METRIC MALE - METRIC SWIVEL FEMALE	TMM..FGM..P 35575	pag. 113
	TEE ADAPTER BSPP SWIVEL FEMALE	TFGG 35580	pag. 114
	TEE ADAPTER METRIC SWIVEL FEMALE	TFGM 35585	pag. 115
	BRANCH ADJUSTABLE TEE ADAPTER BSPP MALE - BSPP MALE with O-Ring and Retaining Ring	TMG..MOG..P 35590	pag. 116
	BRANCH ADJUSTABLE TEE ADAPTER METRIC MALE - METRIC MALE with O-Ring and Retaining Ring	TMM..MOMR..P 35592	pag. 117
	RUN ADJUSTABLE TEE ADAPTER MALE BSPP - MALE BSPP with O-Ring and Retaining Ring	TMG..MOG..B 35594	pag. 118
	RUN ADJUSTABLE TEE ADAPTER METRIC MALE - METRIC MALE with O-Ring and Retaining Ring	TMM..MOMR..B 35596	pag. 119
	SLIP FLANGE CLAMPS 3000 PSI	SFL 36000	pag. 120
	SLIP FLANGE CLAMPS 6000 PSI	SFP 36002	pag. 121

ADAPTER BSPP MALE

31000

Adattatore diritto Maschio Gas cilindrico SV 60°
Adaptateur Mâle BSPP
Adapter AG-zöllig
Adaptador Macho BSPP




F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3100002020	ANGG0202	1/8"			14	9,5		25		350	5075
3100004040	ANGG0404	1/4"			19	11		29		350	5075
3100006060	ANGG0606	3/8"			22	12,5		34		350	5075
3100008080	ANGG0808	1/2"			27	14		38		315	4568
3100010100	ANGG1010	5/8"			30	16		42		315	4568
3100012120	ANGG1212	3/4"			32	16		42		250	3625
3100016160	ANGG1616	1"			41	18		48		200	2900
3100020200	ANGG2020	1.1/4"			50	20		54		160	2320
3100024240	ANGG2424	1.1/2"			55	21		57		125	1813
3100032320	ANGG3232	2"			70	25		67		80	1160

ADAPTER BSPP MALE - BSPT MALE

31010



Adattatore diritto Maschio Gas cilindrico SV 60° - Maschio Gas conico

Adaptateur Mâle BSPP - Mâle BSPT

Adapter AG-zöllig - AG-konisch

Adaptador Macho BSPP - Macho BSPT


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

F2 BSPT, Gas conico, Gaz conique, Kegeliges Gasgewinde, Rosca cónica

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3101002020	ANGK0202	1/8"	1/8"	14	9,5	9	25,5			350	5075
3101004040	ANGK0404	1/4"	1/4"	19	11	14	32			350	5075
3101004060	ANGK0406	1/4"	3/8"	19	11	14	32			350	5075
3101004080	ANGK0408	1/4"	1/2"	22	11	19	40			315	4568
3101006060	ANGK0606	3/8"	3/8"	22	12,5	14	34,5			350	5075
3101006080	ANGK0608	3/8"	1/2"	22	12,5	19	40,5			315	4568
3101008080	ANGK0808	1/2"	1/2"	27	14	19	43			315	4568
3101012120	ANGK1212	3/4"	3/4"	32	16	19	46			250	3625
3101016160	ANGK1616	1"	1"	41	18	26	57			200	2900
3101020200	ANGK2020	1.1/4"	1.1/4"	50	20	25	59,5			160	2320
3101024240	ANGK2424	1.1/2"	1.1/2"	55	21	23	58			125	1813
3101032320	ANGK3232	2"	2"	70	25	27	67			80	1160

ADAPTER BSPP MALE - NPT MALE

31015



Adattatore diritto Maschio Gas cilindrico SV 60° -
Maschio NPT
Adaptateur Mâle BSPP - Mâle NPT
Adapter AG-zöllig - AG-NPT
Adaptador Macho BSPP - Macho NPT

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilíndrica
F2 NPT




CODE	CODE	THREAD	DIMENSIONS						PRESSURE PN		
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3101502020	ANGNPT0202	1/8"	1/8"	14	9,5	9	25,5			350	5075
3101504040	ANGNPT0404	1/4"	1/4"	19	11	14	32			350	5075
3101506060	ANGNPT0606	3/8"	3/8"	22	12,5	14	34,5			350	5075
3101508080	ANGNPT0808	1/2"	1/2"	27	14	19	43			315	4568
3101512120	ANGNPT1212	3/4"	3/4"	32	16	19	46			250	3625
3101516160	ANGNPT1616	1"	1"	41	18	24	55			200	2900
3101520200	ANGNPT2020	1.1/4"	1.1/4"	50	20	25	59,5			160	2320
3101524240	ANGNPT2424	1.1/2"	1.1/2"	55	21	23	58			125	1813
3101532320	ANGNPT3232	2"	2"	70	27	25	67			80	1160

ADAPTER BSPT MALE

31020

Adattatore diritto Maschio Gas conico SV 60°
Adaptateur Mâle BSPT
Adapter AG-konisch
Adaptador Macho BSPT



F1 BSPT, Gas conico, Gaz conique, Kegeliges Gasgewinde, Rosca cónica




CODE		CODE		THREAD	DIMENSIONS						PRESSURE PN	
				F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3102002020	ANKK0202			1/8"		12	10		26		350	5075
3102004040	ANKK0404			1/4"		17	14		35		350	5075
3102006060	ANKK0606			3/8"		19	14		36		350	5075
3102008080	ANKK0808			1/2"		22	19		47,5		315	4568
3102012120	ANKK1212			3/4"		27	19		48		250	3625
3102016160	ANKK1616			1"		36	21		52		200	2900
3102020200	ANKK2020			1.1/4"		46	24		63,5		160	2320
3102024240	ANKK2424			1.1/2"		50	26		66		125	1813
3102032320	ANKK3232			2"		65	28		73		80	1160

ADAPTER METRIC MALE

31025

Adattatore diritto Maschio metrico SV 60°
Adaptateur Mâle métrique
Adapter AG-metrisch
Adaptador Macho métrico



F1 Metric, Metrico, Métrique, Metrisch, Métrico




PRESSURE PN

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3102510100	ANMM1010	10x1			14	9,5		25		350	5075
3102512120	ANMM1212	12x1.5			17	11		30		350	5075
3102514140	ANMM1414	14x1.5			19	11		29		350	5075
3102516160	ANMM1616	16x1.5			22	12,5		34		350	5075
3102518180	ANMM1818	18x1.5			24	14		37		315	4568
3102520200	ANMM2020	20x1.5			27	14		38		315	4568
3102522220	ANMM2222	22x1.5			27	14		38		315	4568
3102524240	ANMM2424	24x1.5			30	16		42		315	4568
3102526260	ANMM2626	26x1.5			32	16		42		250	3625
3102528280	ANMM2828	28x1.5			34	16		43		250	3625
3102530300	ANMM3030	30x1.5			38	18		48		200	2900

REDUCING ADAPTER BSPP MALE

31050



Adattatore diritto ridotto Maschio Gas cilindrico SV 60°

Adaptateur reducteur Mâle BSPP

Reduzierung AG-zöllig

Reductor Macho BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3105004020	ARGG0402	1/4"	1/8"	19	11	9,5	27,5			350	5075
3105006020	ARGG0602	3/8"	1/8"	22	12,5	9,5	30			350	5075
3105006040	ARGG0604	3/8"	1/4"	22	12,5	11	31,5			350	5075
3105008040	ARGG0804	1/2"	1/4"	27	14	11	35			315	4568
3105008060	ARGG0806	1/2"	3/8"	27	14	12,5	36,5			315	4568
3105010060	ARGG1006	5/8"	3/8"	30	16	12,5	38,5			315	4568
3105010080	ARGG1008	5/8"	1/2"	30	16	14	40			315	4568
3105012040	ARGG1204	3/4"	1/4"	32	16	11	37,5			250	3625
3105012060	ARGG1206	3/4"	3/8"	32	16	12,5	38,5			250	3625
3105012080	ARGG1208	3/4"	1/2"	32	16	14	40			250	3625
3105012100	ARGG1210	3/4"	5/8"	32	16	16	43,5			250	3625
3105016060	ARGG1606	1"	3/8"	41	18	12,5	42,5			200	2900
3105016080	ARGG1608	1"	1/2"	41	18	14	44			200	2900
3105016100	ARGG1610	1"	5/8"	41	18	16	46			200	2900
3105016120	ARGG1612	1"	3/4"	41	18	16	46			200	2900
3105020080	ARGG2008	1.1/4"	1/2"	50	20	14	48,5			160	2320
3105020120	ARGG2012	1.1/4"	3/4"	50	20	16	50,5			160	2320
3105020160	ARGG2016	1.1/4"	1"	50	20	18	52,5			160	2320
3105024120	ARGG2412	1.1/2"	3/4"	55	22	16	53			125	1813
3105024160	ARGG2416	1.1/2"	1"	55	22	18	55			125	1813
3105024200	ARGG2420	1.1/2"	1.1/4"	55	22	20	57			125	1813
3105032160	ARGG3216	2"	1"	70	25	18	60			80	1160
3105032200	ARGG3220	2"	1.1/4"	70	25	20	60,5			80	1160
3105032240	ARGG3224	2"	1.1/2"	70	25	21	63			80	1160


31055

Adattatore diritto ridotto Maschio Gas cilindrico SV 60° - Maschio metrico SV 60°

Adaptateur reducteur Mâle BSPP - Mâle métrique

Reduzierung AG-zöllig - AG-metrisch

Reductor Macho BSPP - Macho métrico



F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilíndrica


F2 Metric, Metrico, Métrique, Metrisch, Métrico



CODE	CODE	THREAD	DIMENSIONS					PRESSURE PN				
		F1	F2	CH mm	L1 mm	L2 mm	L mm				Bar	PSI
3105502100	ARGM0210	1/8"	10X1	14	9,5	9,5	25				350	5075
3105502120	ARGM0212	1/8"	12X1.5	17	9,5	11	27,5				350	5075
3105504100	ARGM0410	1/4"	10X1	19	11	9,5	27,5				350	5075
3105504120	ARGM0412	1/4"	12X1.5	19	11	11	30				350	5075
3105504140	ARGM0414	1/4"	14X1.5	19	11	11	30				350	5075
3105504160	ARGM0416	1/4"	16X1.5	22	11	12,5	32,5				350	5075
3105504180	ARGM0418	1/4"	18X1.5	24	11	14	35				315	4568
3105504220	ARGM0422	1/4"	22X1.5	27	11	14	35				315	4568
3105506120	ARGM0612	3/8"	12X1.5	22	12,5	11	31,5				350	5075
3105506140	ARGM0614	3/8"	14X1.5	22	12,5	11	32,5				350	5075
3105506160	ARGM0616	3/8"	16X1.5	22	12,5	12,5	34,5				350	5075
3105506180	ARGM0618	3/8"	18X1.5	24	12,5	14	36,5				315	4568
3105506200	ARGM0620	3/8"	20X1.5	27	12,5	14	36,5				315	4568
3105506220	ARGM0622	3/8"	22X1.5	27	12,5	14	37				315	4568
3105508120	ARGM0812	1/2"	12X1.5	27	14	11	35				315	4568
3105508140	ARGM0814	1/2"	14X1.5	27	14	11	35				315	4568
3105508160	ARGM0816	1/2"	16X1.5	27	14	12,5	36,5				315	4568
3105508180	ARGM0818	1/2"	18X1.5	27	14	14	38				315	4568
3105508200	ARGM0820	1/2"	20X1.5	27	14	14	38				315	4568
3105508220	ARGM0822	1/2"	22X1.5	27	14	14	38				315	4568
3105508240	ARGM0824	1/2"	24X1.5	30	14	16	40				315	4568
3105508260	ARGM0826	1/2"	26X1.5	32	14	16	41				250	3625
3105510180	ARGM1018	5/8"	18X1.5	30	16	14	41				315	4568
3105510200	ARGM1020	5/8"	20X1.5	30	16	14	41				315	4568
3105510220	ARGM1022	5/8"	22X1.5	30	16	14	41				315	4568
3105512180	ARGM1218	3/4"	18X1.5	32	16	14	40				250	3625
3105512200	ARGM1220	3/4"	20X1.5	32	16	14	40				250	3625
3105512220	ARGM1222	3/4"	22X1.5	32	16	15	41				250	3625

REDUCING ADAPTER BSPP MALE - METRIC MALE

2



Adattatore diritto ridotto Maschio Gas cilindrico SV
60° - Maschio metrico SV 60°
Adaptateur reducteur Mâle BSPP - Mâle métrique
Reduzierung AG-zöllig - AG-metrisch
Reductor Macho BSPP - Macho métrico

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilíndrica
F2 Metric, Metrico, Métrique, Metrisch, Métrico




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3105512260	ARGM1226	3/4"	26X1.5	32	16	16	42			250	3625
3105512300	ARGM1230	3/4"	30X1.5	38	16	18	46			200	2900
3105516220	ARGM1622	1"	22X1.5	41	18	15	45			200	2900
3105516260	ARGM1626	1"	26X1.5	41	18	16	46			200	2900
3105516300	ARGM1630	1"	30X1.5	41	18	18	48			200	2900
3105520300	ARGM2030	1.1/4"	30X1.5	50	20	18	52,2			160	2320
3105520380	ARGM2038	1.1/4"	38X1.5	50	20	18	52,5			160	2320

REDUCING ADAPTER METRIC MALE

31060

Adattatore diritto ridotto Maschio metrico SV 60°
 Adaptateur reducteur Mâle métrique
Reduzierung AG-metrisch
 Reductor Macho métrico




F1 Metric, Metrico, Métrique, Metrisch, Métrico
F2 Metric, Metrico, Métrique, Metrisch, Métrico



CODE	CODE	THREAD	DIMENSIONS					PRESSURE PN				
		F1	F2	CH mm	L1 mm	L2 mm	L mm				Bar	PSI
3106012100	ARMM1210	12x1.5	10x1	17	11	9,5	28,5				350	5075
3106014100	ARMM1410	14x1.5	10x1	19	11	9,5	27,5				350	5075
3106014120	ARMM1412	14x1.5	12x1.5	19	11	11	30				350	5075
3106016120	ARMM1612	16x1.5	12x1.5	22	12,5	11,5	31,5				350	5075
3106016140	ARMM1614	16x1.5	14x1.5	22	12,5	11	31,5				350	5075
3106018140	ARMM1814	18x1.5	14x1.5	24	14	11	35				315	4568
3106018160	ARMM1816	18x1.5	16x1.5	24	14	12,5	36,5				315	4568
3106020140	ARMM2014	20x1.5	14x1.5	24	14	12,5	36,5				315	4568
3106020160	ARMM2016	20x1.5	16x1.5	27	14	12,5	36,5				315	4568
3106020180	ARMM2018	20x1.5	18x1.5	27	14	14	38				315	4568
3106022140	ARMM2214	22x1.5	14x1.5	27	14	12,5	36,5				315	4568
3106022160	ARMM2216	22x1.5	16x1.5	27	14	12,5	36,5				315	4568
3106022180	ARMM2218	22x1.5	18x1.5	27	14	14	38				315	4568
3106022200	ARMM2220	22x1.5	20x1.5	27	14	16	38				315	4568
3106024180	ARMM2418	24x1.5	18x1.5	30	16	14	40				315	4568
3106024220	ARMM2422	24x1.5	22x1.5	30	16	15	40				315	4568
3106026220	ARMM2622	26x1.5	22x1.5	32	16	15	41				250	3625
3106026240	ARMM2624	26x1.5	24x1.5	32	18	18	45				250	3625
3106030220	ARMM3022	30x1.5	22x1.5	38	18	15	45				200	2900
3106030260	ARMM3026	30x1.5	26x1.5	38	18	16	46				200	2900

REDUCING ADAPTER BSPP MALE - BSPT MALE

31070



**Adattatore diritto ridotto Maschio Gas cilindrico
SV 60° - Maschio Gas conico**
Adaptateur reducteur Mâle BSPP - Mâle BSPT
Reduzierung AG-zöllig - AG-konisch
Reductor Macho BSPP - Macho BSPT


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica
F2 BSPT, Gas conico, Gaz conique, Kegeliges Gasgewinde, Rosca cónica

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3107004020	ARGK0402	1/4"	1/8"	19	11	9	27			350	5075
3107006020	ARGK0602	3/8"	1/8"	22	12,5	9	29,5			350	5075
3107006040	ARGK0604	3/8"	1/4"	22	12,5	14	34,5			350	5075
3107008040	ARGK0804	1/2"	1/4"	27	14	14	38			315	4568
3107008060	ARGK0806	1/2"	3/8"	27	14	14	38			315	4568
3107010060	ARGK1006	5/8"	3/8"	30	16	14	41			315	4568
3107010080	ARGK1008	5/8"	1/2"	30	16	19	46			315	4568
3107012040	ARGK1204	3/4"	1/4"	32	16	14	41			250	3625
3107012060	ARGK1206	3/4"	3/8"	32	16	14	41			250	3625
3107012080	ARGK1208	3/4"	1/2"	32	16	19	46			250	3625
3107016060	ARGK1606	1"	3/8"	41	18	14	45			200	2900
3107016080	ARGK1608	1"	1/2"	41	18	19	50			200	2900
3107016120	ARGK1612	1"	3/4"	41	18	19	50			200	2900

BULKHEAD ADAPTER BSPP MALE

31080

Adattatore passaparete Maschio Gas cilindrico SV 60°
Passe-cloison Mâle BSPP
Schottadapter AG-zöllig
Pasatabiques Macho BSPP



F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm	L mm	Bar	PSI
3108004040	ANGG0404P	1/4"			19	19	11	30	48	350	5075
3108006060	ANGG0606P	3/8"			22	22	12,5	35	55,5	350	5075
3108008080	ANGG0808P	1/2"			27	27	14	39	64	315	4568
3108012120	ANGG1212P	3/4"			32	36	16	46	73	250	3625
3108016160	ANGG1616P	1"			41	41	18	55,5	86	200	2900
3108020200	ANGG2020P	1.1/4"			50	50	20	44,5	81	160	2320
3108024240	ANGG2424P	1.1/2"			55	55	22	49	88	125	1813
3108032320	ANGG3232P	2"			70	70	24	54	95	80	1160

BULKHEAD ADAPTER METRIC MALE

31085

Adattatore passaparete Maschio metrico SV 60°
Passe-cloison Mâle métrique
Schottadapter AG-metrisch
Pasatabiques Macho métrico



F1 Metric, Metrico, Métrique, Metrisch, Métrico




PRESSURE PN

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm	L mm	Bar	PSI
3108514140	ANMM1414P	14x1.5			19		11	30	48	350	5075
3108516160	ANMM1616P	16x1.5			22		12,5	35	55,5	350	5075
3108518180	ANMM1818P	18x1.5			24		14	32	56	315	4568
3108522220	ANMM2222P	22x1.5			27		15	34	60	315	4568

ADAPTER BSPP MALE - BSPP SWIVEL FEMALE

31500



Adattatore diritto Maschio Gas cilindrico SV 60° - Femmina girevole Gas cilindrica
 Adaptateur Mâle BSPP - Femelle tournante BSPP
Adapter AG-zöllig - DKR
 Adaptador Macho BSPP - Hembra giratoria BSPP


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica
F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

* **Thrust - wire nut**
 Dado spinato / Écrou à jonc / Gestiftete Überwurfmutter / Tuerca con seguro

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm	L mm	Bar	PSI
3150002020	AMFDG0202	1/8"	1/8"	14	15	9,5			31,5	350	5075
3150004040	AMFDG0404	1/4"	1/4"	19	19	11			35,5	350	5075
3150006060	AMFDG0606	3/8"	3/8"	22	22	12,5			41,5	350	5075
3150008080	AMFDG0808	1/2"	1/2"	27	27	14			45,5	315	4568
3150010100	AMFDG1010	5/8"	5/8"	30	28	16			48	315	4568
3150012120	AMFDG1212	3/4"	3/4"	32	32	16			51,5	250	3625
3150016160	AMFDG1616	1"	1"	41	38	18			58,5	200	2900
3150020200	AMFDG2020	1.1/4"	1.1/4"	50	50	20			66	160	2320
3150024240	AMFDG2424	1.1/2"	1.1/2"	55	55	21			69,5	125	1813
3150032320	AMFDG3232 *	2"	2"	70	70	25			80	80	1160

ADAPTER BSPP MALE - BSPP SWIVEL FEMALE

31505



Adattatore diritto Maschio Gas cilindrico SV 60° - Femmina girevole Gas cilindrica

Adaptateur Mâle BSPP - Femelle tournante BSPP

Adapter AG-zöllig - DKR

Adaptador Macho BSPP - Hembra giratoria BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

*** Thrust - wire nut**


Dado spinato / Écrou à jonc / Gestiftete Überwurfmutter / Tuerca con seguro



CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
		F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm	L mm		Bar	PSI
3150502040	AMFDG0204	1/8"	1/4"	14	19	9,5		33,6		350	5075
3150504060	AMFDG0406	1/4"	3/8"	19	22	11		38,8		350	5075
3150504080	AMFDG0408	1/4"	1/2"	19	27	11		42,2		315	4568
3150506040	AMFDG0604	3/8"	1/4"	22	19	12,5		37,6		350	5075
3150506080	AMFDG0608	3/8"	1/2"	22	27	12,5		43,7		315	4568
3150506120	AMFDG0612	3/8"	3/4"	27	32	12,5		47,5		250	3625
3150508040	AMFDG0804	1/2"	1/4"	27	19	14		40,1		315	4568
3150508060	AMFDG0806	1/2"	3/8"	27	22	14		42,8		315	4568
3150508120	AMFDG0812	1/2"	3/4"	27	32	14		49		250	3625
3150512060	AMFDG1206	3/4"	3/8"	32	22	16		44,8		250	3625
3150512080	AMFDG1208	3/4"	1/2"	32	27	16		47,2		250	3625
3150512160	AMFDG1216	3/4"	1"	32	38	16		52,4		200	2900
3150516120	AMFDG1612	1"	3/4"	41	32	18		57,5		200	2900
3150516200	AMFDG1620	1"	1.1/4"	41	50	18		63,5		160	2320
3150520160	AMFDG2016	1.1/4"	1"	50	38	20,5		59,9		160	2320
3150520240	AMFDG2024	1.1/4"	1.1/2"	50	55	20,5		61,5		125	1813
3150524200	AMFDG2420	1.1/2"	1.1/4"	55	50	21		66,5		125	1813
3150524320	AMFDG2432 *	1.1/2"	2"	55	70	21		75,3		80	1160
3150532240	AMFDG3224	2"	1.1/2"	70	55	25		78,5		80	1160

ADAPTER BSPP SWIVEL FEMALE

31510



Adattatore diritto Femmina girevole Gas cilindrica
Adaptateur Femelle tournante BSPP
Adapter DKR
Adaptador Hembra giratoria BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica


*** Thrust - wire nut**
Dado spinato / Écrou à jonc / Gestiftete Überwurfmutter / Tuerca con seguro



CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	CH3 mm	L mm		Bar	PSI
3151002020	AFFDG0202	1/8"			15		14	38		350	5075
3151004040	AFFDG0404	1/4"			19		19	41		350	5075
3151006060	AFFDG0606	3/8"			22		22	45		350	5075
3151008080	AFFDG0808	1/2"			27		27	52		315	4568
3151010100	AFFDG1010	5/8"			28		27	52		315	4568
3151012120	AFFDG1212	3/4"			32		32	61		250	3625
3151016160	AFFDG1616	1"			38		41	68		200	2900
3151020200	AFFDG2020	1.1/4"			50		50	77		160	2320
3151024240	AFFDG2424	1.1/2"			55		55	82		125	1813
3151032320	AFFDG3232 *	2"			70		70	90		80	1160

ADAPTER METRIC MALE - METRIC SWIVEL FEMALE

31520



**Adattatore diritto Maschio metrico SV 60° -
Femmina girevole metrica**
Adaptateur Male métrique - Femelle tournante métrique
Adapter AG-metrisch - DKM
Adaptador Macho métrico - Hembra giratoria métrica

F1 Metric, Metrico, Métrique, Metrisch, Métrico
F2 Metric, Metrico, Métrique, Metrisch, Métrico




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm	L mm	Bar	PSI
3152012120	AMFDM1212	12x1.5	12x1.5	17	17	11			34	350	5075
3152014140	AMFDM1414	14x1.5	14x1.5	19	19	11			35	350	5075
3152016160	AMFDM1616	16x1.5	16x1.5	22	22	12,5			41,5	350	5075
3152018180	AMFDM1818	18x1.5	18x1.5	22	24	14			42	315	4568
3152020200	AMFDM2020	20x1.5	20x1.5	27	27	14			45,5	315	4568
3152022220	AMFDM2222	22x1.5	22x1.5	27	27	14			45,5	315	4568
3152024240	AMFDM2424	24x1.5	24x1.5	30	30	16			49	315	4568
3152026260	AMFDM2626	26x1.5	26x1.5	32	32	16			51,5	250	3625
3152030300	AMFDM3030	30x1.5	30x1.5	38	36	18			57,5	200	2900

ADAPTER METRIC SWIVEL FEMALE

31525

Adattatore diritto Femmina girevole metrica
Adaptateur Femelle tournante métrique
Adapter DKM
Adaptador Hembra giratoria métrica




F1 Metric, Metrico, Métrique, Metrisch, Métrico

CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	CH3 mm	L mm			Bar	PSI
3152510100	AFFDM1010	10x1			15		14	38			350	5075
3152512120	AFFDM1212	12x1.5			17		14	37			350	5075
3152514140	AFFDM1414	14x1.5			19		19	40			350	5075
3152516160	AFFDM1616	16x1.5			22		22	43,5			350	5075
3152518180	AFFDM1818	18x1.5			22		22	44			315	4568
3152520200	AFFDM2020	20x1.5			27		27	50			315	4568
3152522220	AFFDM2222	22x1.5			27		27	50			315	4568
3152524240	AFFDM2424	24x1.5			30		30	54			315	4568
3152526260	AFFDM2626	26x1.5			32		32	56,5			250	3625

ADAPTER BSPP MALE - METRIC SWIVEL FEMALE

31530




Adattatore diritto Maschio Gas cilindrico SV 60° -
Femmina girevole metrica
Adaptateur Mâle BSPP - Femelle tournante métrique
Adapter AG-zöllig - DKM
Adaptador Macho BSPP - Hembra giratoria métrica

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilíndrica
F2 Metric, Metrico, Métrique, Metrisch, Métrico

												
CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN		
		F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm	L mm			Bar	PSI
3153004140	AMFDGM0414	1/4"	14X1.5	19	19	11		35,5			350	5075
3153008220	AMFDGM0822	1/2"	22X1.5	27	27	14		44			315	4568

90° ADAPTER BSPP MALE - BSPP SWIVEL FEMALE

31550



Adattatore 90° Maschio Gas cilindrico SV 60° - Femmina girevole Gas cilindrica
 Adaptateur 90° Mâle BSPP - Femelle tournante BSPP
Adapter 90° AG-zöllig - DKR
 Adaptador 90° Macho BSPP - Hembra giratoria BSPP


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica
F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

* **Thrust - wire nut**
 Dado spinato / Écrou à jonc / Gestiftete Überwurfmutter / Tuerca con seguro

CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 ≈ mm	L2 ≈ mm			Bar	PSI
3155002020	AMF90G0202	1/8"	1/8"	15	14	29	33				350	5075
3155004040	AMF90G0404	1/4"	1/4"	19	19	28	39				350	5075
3155006060	AMF90G0606	3/8"	3/8"	22	22	39,5	46,5				350	5075
3155008080	AMF90G0808	1/2"	1/2"	27	27	44,5	61,5				315	4568
3155010100	AMF90G1010	5/8"	5/8"	28	30	54	69				315	4568
3155012120	AMF90G1212	3/4"	3/4"	32	32	56,5	77				250	3625
3155016160	AMF90G1616	1"	1"	38	41	71	87				200	2900
3155020200	AMF90G2020 *	1.1/4"	1.1/4"	50	50	66	79				160	2320
3155024240	AMF90G2424 *	1.1/2"	1.1/2"	55	55	89	100				125	1813
3155032320	AMF90G3232 *	2"	2"	70	65	107	126				80	1160

90° ADAPTER BSPP SWIVEL FEMALE

31555



Adattatore 90° Femmina girevole Gas cilindrica

Adaptateur 90° Femelle tournante BSPP

Adapter 90° DKR

Adaptador 90° Hembra giratoria BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

*** Thrust - wire nut**


Dado spinato / Écrou à jonc / Gestiftete Überwurfmutter / Tuerca con seguro



CODE	CODE	THREAD		DIMENSIONS						PRESSURE PN	
		F1	F2	CH1 mm	CH2 mm	L1 ≈ mm	L2 ≈ mm			Bar	PSI
3155502020	AFF90G0202	1/8"		15		29	31			350	5075
3155504040	AFF90G0404	1/4"		19		29,5	31			350	5075
3155506060	AFF90G0606	3/8"		22		39	44			350	5075
3155508080	AFF90G0808	1/2"		27		44,5	50,5			315	4568
3155510100	AFF90G1010	5/8"		28		48	50			315	4568
3155512120	AFF90G1212	3/4"		32		60	65			250	3625
3155516160	AFF90G1616	1"		38		70	83			200	2900
3155520200	AFF90G2020 *	1.1/4"		50		67	70			160	2320
3155524240	AFF90G2424 *	1.1/2"		55		80	95			125	1813
3155532320	AFF90G3232 *	2"		70		120	115			80	1160

45° ADAPTER BSPP MALE - BSPP SWIVEL FEMALE

31560



Adattatore 45° Maschio Gas cilindrico SV 60° - Femmina girevole Gas cilindrica
 Adaptateur 45° Mâle BSPP - Femelle tournante BSPP
Adapter 45° AG-zöllig - DKR
 Adaptador 45° Macho BSPP - Hembra giratoria BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica
F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica


*** Thrust - wire nut**
 Dado spinato / Écrou à jonc / Gestiftete Überwurfmutter / Tuerca con seguro



CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 ≈ mm	L2 ≈ mm			Bar	PSI
3156002020	AMF45G0202	1/8"	1/8"	15	14	-	-				350	5075
3156004040	AMF45G0404	1/4"	1/4"	19	19	23	55				350	5075
3156006060	AMF45G0606	3/8"	3/8"	22	22	26	63				350	5075
3156008080	AMF45G0808	1/2"	1/2"	27	27	30	81				315	4568
3156010100	AMF45G1010	5/8"	5/8"	28	30	-	-				315	4568
3156012120	AMF45G1212	3/4"	3/4"	32	32	35	115				250	3625
3156016160	AMF45G1616	1"	1"	38	41	38	121				200	2900
3156020200	AMF45G2020 *	1.1/4"	1.1/4"	50	50	58	73				160	2320
3156024240	AMF45G2424 *	1.1/2"	1.1/2"	55	55	60	96				125	1813
3156032320	AMF45G3232 *	2"	2"	70	65	65	120				80	1160

45° ADAPTER BSPP SWIVEL FEMALE

31565



Adattatore 45° Femmina girevole Gas cilindrica

Adaptateur 45° Femelle tournante BSPP

Adapter 45° DKR

Adaptador 45° Hembra giratoria BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

*** Thrust - wire nut**


Dado spinato / Écrou à jonc / Gestiftete Überwurfmutter / Tuerca con seguro



CODE	CODE	THREAD		DIMENSIONS						PRESSURE PN	
		F1	F2	CH1 mm	CH2 mm	L1 ≈ mm	L2 ≈ mm			Bar	PSI
3156502020	AFF45G0202	1/8"		15		-	-			350	5075
3156504040	AFF45G0404	1/4"		19		18	52			350	5075
3156506060	AFF45G0606	3/8"		22		24	66			350	5075
3156508080	AFF45G0808	1/2"		27		28	78			315	4568
3156510100	AFF45G1010	5/8"		28		31	73			315	4568
3156512120	AFF45G1212	3/4"		32		33	101			250	3625
3156516160	AFF45G1616	1"		38		37	115			200	2900
3156520200	AFF45G2020 *	1.1/4"		50		-	-			160	2320
3156524240	AFF45G2424 *	1.1/2"		55		-	-			125	1813
3156532320	AFF45G3232 *	2"		70		41	132			80	1160

90° ADAPTER METRIC MALE - METRIC SWIVEL FEMALE

31570



Adattatore 90° Maschio metrico SV 60° - Femmina girevole metrica
Adaptateur 90° Mâle métrique - Femelle tournante métrique
Adapter 90° AG-metrisch - DKM
Adaptador 90° Macho métrico - Hembra giratoria métrica


F1 Metric, Metrico, Métrique, Metrisch, Métrico
F2 Metric, Metrico, Métrique, Metrisch, Métrico



CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 ≈ mm	L2 ≈ mm			Bar	PSI
3157010100	AMF90M1010	10x1	10x1	15	14	29	33				350	5075
3157012120	AMF90M1212	12x1.5	12x1.5	17	17	35	33				350	5075
3157014140	AMF90M1414	14x1.5	14x1.5	19	19	28	30				350	5075
3157016160	AMF90M1616	16x1.5	16x1.5	22	22	39	48				350	5075
3157018180	AMF90M1818	18x1.5	18x1.5	24	24	41	48				315	4568
3157020200	AMF90M2020	20x1.5	20x1.5	27	27	44,5	61,5				315	4568
3157022220	AMF90M2222	22x1.5	22x1.5	27	27	44,5	61,5				315	4568
3157024240	AMF90M2424	24x1.5	24x1.5	30	30	54	69				315	4568
3157026260	AMF90M2626	26x1.5	26x1.5	32	32	55,5	77				250	3625

90° ADAPTER METRIC SWIVEL FEMALE

31575



Adattatore 90° Femmina girevole metrica

Adaptateur 90° Femelle tournante métrique

Adapter 90° DKM

Adaptador 90° Hembra giratoria métrica


F1 Metric, Metrico, Métrique, Metrisch, Métrico



CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 ≈ mm	L2 ≈ mm			Bar	PSI
3157510100	AFF90M1010	10x1			15		29	31			350	5075
3157512120	AFF90M1212	12x1.5			17		29	31			350	5075
3157514140	AFF90M1414	14x1.5			19		30	30			350	5075
3157516160	AFF90M1616	16x1.5			22		43	43			350	5075
3157518180	AFF90M1818	18x1.5			22		43	43			315	4568
3157520200	AFF90M2020	20x1.5			27		48	48			315	4568
3157522220	AFF90M2222	22x1.5			27		47	47			315	4568
3157524240	AFF90M2424	24x1.5			30		48	50			315	4568
3157526260	AFF90M2626	26x1.5			32		61	61			250	3625

45° ADAPTER METRIC MALE - METRIC SWIVEL FEMALE

31580



Adattatore 45° Maschio metrico SV 60° - Femmina girevole metrica

Adaptateur 45° Mâle métrique - Femelle tournante métrique

Adapter 45° AG-metrisch - DKM

Adaptador 45° Macho métrico - Hembra giratoria métrica


F1 Metric, Metrico, Métrique, Metrisch, Métrico

F2 Metric, Metrico, Métrique, Metrisch, Métrico

CODE	CODE	THREAD	DIMENSIONS						PRESSURE PN			
			F1	F2	CH1 mm	CH2 mm	L1 ≈ mm	L2 ≈ mm				
3158010100	AMF45M1010	10x1	10x1	15	14	-	-				350	5075
3158012120	AMF45M1212	12x1.5	12x1.5	17	17	-	-				350	5075
3158014140	AMF45M1414	14x1.5	14x1.5	19	19	23	55				350	5075
3158016160	AMF45M1616	16x1.5	16x1.5	22	22	34	65				350	5075
3158018180	AMF45M1818	18x1.5	18x1.5	24	24	30	81				315	4568
3158020200	AMF45M2020	20x1.5	20x1.5	27	27	30	81				315	4568
3158022220	AMF45M2222	22x1.5	22x1.5	27	27	30	81				315	4568
3158024240	AMF45M2424	24x1.5	24x1.5	30	30	-	-				315	4568
3158026260	AMF45M2626	26x1.5	26x1.5	32	32	35	115				250	3625

45° ADAPTER METRIC SWIVEL FEMALE

31585



Adattatore 45° Femmina girevole metrica
Adaptateur 45° Femelle tournante métrique
Adapter 45° DKM
Adaptador 45° Hembra giratoria métrica


F1 Metric, Metrico, Métrique, Metrisch, Métrico



CODE		CODE		THREAD		DIMENSIONS				PRESSURE PN		
				F1	F2	CH1 mm	CH2 mm	L1 ≈ mm	L2 ≈ mm			
3158510100	AFF45M1010	10x1		15		-		-		350	5075	
3158512120	AFF45M1212	12x1.5		17		-		-		350	5075	
3158514140	AFF45M1414	14x1.5		19		20		51		350	5075	
3158516160	AFF45M1616	16x1.5		22		20		65		350	5075	
3158518180	AFF45M1818	18x1.5		22		20		65		315	4568	
3158520200	AFF45M2020	20x1.5		27		25		73		315	4568	
3158522220	AFF45M2222	22x1.5		27		27		78		315	4568	
3158524240	AFF45M2424	24x1.5		30		31		73		315	4568	
3158526260	AFF45M2626	26x1.5		32		30		103		250	3625	

ADAPTER BSPP MALE - BSPP FIXED FEMALE

32000



Prolunga Maschio Gas cilindrico SV 60° - Femmina fissa Gas cilindrica

Prolongateur Mâle BSPP - Femelle fixe BSPP

Verlängerungsstück AG-zöllig - IG-zöllig

Prolongador Macho BSPP - Hembra fija BSPP


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

CODE	CODE	THREAD	DIMENSIONS									PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm				Bar	PSI
3200002300	APMFG0230.5	1/8"	1/8"	14	9,5	21	30,5					350	5075
3200004330	APMFG0433	1/4"	1/4"	19	11	22	33					350	5075
3200004420	APMFG0442	1/4"	1/4"	19	11	31	42					350	5075
3200004500	APMFG0450	1/4"	1/4"	19	11	39	50					350	5075
3200004550	APMFG0455	1/4"	1/4"	19	11	44	55					350	5075
3200006350	APMFG0635	3/8"	3/8"	22	12,5	22,5	35					350	5075
3200006390	APMFG0639	3/8"	3/8"	22	12,5	26,5	39					350	5075
3200006420	APMFG0642	3/8"	3/8"	22	12,5	29,5	42					350	5075
3200006540	APMFG0654	3/8"	3/8"	22	12,5	41,5	54					350	5075
3200008400	APMFG0840	1/2"	1/2"	27	14	26	40					315	4568
3200008450	APMFG0845	1/2"	1/2"	27	14	31	45					315	4568
3200008500	APMFG0850	1/2"	1/2"	27	14	36	50					315	4568
3200008600	APMFG0860	1/2"	1/2"	27	14	46	60					315	4568
3200012480	APMFG1248	3/4"	3/4"	32	16	32	48					250	3625
3200012570	APMFG1257	3/4"	3/4"	32	16	41	57					250	3625
3200012670	APMFG1267	3/4"	3/4"	32	16	51	67					250	3625
3200012720	APMFG1272	3/4"	3/4"	32	16	56	72					250	3625
3200016540	APMFG1654	1"	1"	41	18	36	54					200	2900
3200016600	APMFG1660	1"	1"	41	18	42	60					200	2900
3200016800	APMFG1680	1"	1"	41	18	62	80					200	2900
3200020620	APMFG2062	1.1/4"	1.1/4"	50	20	42	62					160	2320
3200020920	APMFG2092	1.1/4"	1.1/4"	50	20	72	92					160	2320
3200024650	APMFG2465	1.1/2"	1.1/2"	55	22	43	65					125	1813
3200024950	APMFG2495	1.1/2"	1.1/2"	55	22	73	95					125	1813
3200032570	APMFG3257	2"	2"	70	25	32	57					80	1160
3200032620	APMFG3262	2"	2"	70	25	37	62					80	1160

ADAPTER METRIC MALE - METRIC FIXED FEMALE

32005



Prolunga Maschio metrico SV 60° - Femmina fissa metrica
Prolongateur Mâle métrique - Femelle fixe métrique
Verlängerungsstück AG-metrisch - IG-metrisch
Prolongador Macho métrico - Hembra fija métrica

F1 Metric, Metrico, Métrique, Metrisch, Métrico
F2 Metric, Metrico, Métrique, Metrisch, Métrico




CODE		CODE		THREAD	DIMENSIONS				PRESSURE PN			
		F1	F2		CH mm	L1 mm	L2 mm	L mm			Bar	PSI
3200510270	APMFM1027	10x1	10x1	14	9,5	17,5	27				350	5075
3200510400	APMFM1040.5	10x1	10x1	14	9,5	31	40,5				350	5075
3200514330	APMFM1433	14x1.5	14x1.5	19	11	22	33				350	5075
3200516350	APMFM1635	16x1.5	16x1.5	22	12,5	22,5	35				350	5075
3200518400	APMFM1840	18x1.5	18x1.5	24	14	26	40				315	4568
3200518450	APMFM1845	18x1.5	18x1.5	24	14	31	45				315	4568
3200518500	APMFM1850	18x1.5	18x1.5	24	14	36	50				315	4568
3200520450	APMFM2045	20x1.5	20x1.5	27	14	31	45				315	4568
3200520600	APMFM2060	20x1.5	20x1.5	27	14	46	60				315	4568
3200522400	APMFM2240	22x1.5	22x1.5	27	14	26	40				315	4568
3200522600	APMFM2260	22x1.5	22x1.5	27	14	46	60				315	4568

LONG ADAPTER BSPP MALE

32010

Prolunga Maschio Gas cilindrico SV 60°
Prolongateur Mâle BSPP
Verlängerungsstück AG-zöllig
Prolongador Macho BSPP



F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilindrica




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3201004040	APMMG0404	1/4"			19	11	26	48		350	5075
3201006060	APMMG0606	3/8"			22	12,5	25	50		350	5075
3201008080	APMMG0808	1/2"			27	14	28	56		315	4568
3201012120	APMMG1212	3/4"			32	16	40	72		250	3625
3201016160	APMMG1616	1"			41	18	49	85		200	2900
3201020200	APMMG2020	1.1/4"			50	20	58	98		160	2320

ADAPTER BSPP FIXED FEMALE

32020

Prolunga Femmina fissa Gas cilindrica
Manchon Femelle fixe BSPP
Verlängerungsstück IG-zöllig
Manguito Hembra fija BSPP



F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica




CODE		CODE		THREAD	DIMENSIONS					PRESSURE PN		
		F1	F2	CH	L1	L2	L				Bar	PSI
		mm		mm	mm	mm	mm					
3202002020	APFFG0202	1/8"		14			25				350	5075
3202004040	APFFG0404	1/4"		19			30				350	5075
3202006060	APFFG0606	3/8"		22			35				350	5075
3202008080	APFFG0808	1/2"		27			40				315	4568
3202010100	APFFG1010	5/8"		27			35				315	4568
3202012120	APFFG1212	3/4"		32			40				250	3625
3202016160	APFFG1616	1"		41			50				200	2900
3202020200	APFFG2020	1.1/4"		50			55				160	2320
3202024240	APFFG2424	1.1/2"		55			60				125	1813
3202032320	APFFG3232	2"		70			54				80	1160

ADAPTER METRIC FIXED FEMALE

32025

Prolunga Femmina fissa metrica
Manchon Femelle fixe métrique
Verlängerungsstück IG-metrisch
Manguito Hembra métrica




F1 Metric, Metrico, Métrique, Metrisch, Métrico

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3202514140	APFFM1414	14x1.5			19			30		350	5075
3202516160	APFFM1616	16x1.5			22			35		350	5075
3202518180	APFFM1818	18x1.5			24			35		315	4568
3202522220	APFFM2222	22x1.5			27			40		315	4568

REDUCING PLUG BSPP MALE - BSPP FIXED FEMALE

32030




Riduzione corta Maschio Gas cilindrico SV 60° - Femmina fissa Gas cilindrica
 Bouchon réducteur Mâle BSPP - Femelle fixe BSPP
Reduzierung kurze Bauart AG-zöllig - IG-zöllig
 Tapón reductor Macho BSPP - Hembra fija BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica
F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3203004020	ARMFC0402	1/4"	1/8"	19	11			18		350	5075
3203006020	ARMFC0602	3/8"	1/8"	22	12,5			21,5		350	5075
3203006040	ARMFC0604	3/8"	1/4"	22	12,5			21,5		350	5075
3203008020	ARMFC0802	1/2"	1/8"	27	14			24		315	4568
3203008040	ARMFC0804	1/2"	1/4"	27	14			24		315	4568
3203008060	ARMFC0806	1/2"	3/8"	27	14			24		315	4568
3203012040	ARMFC1204	3/4"	1/4"	32	16			27		250	3625
3203012060	ARMFC1206	3/4"	3/8"	32	16			27		250	3625
3203012080	ARMFC1208	3/4"	1/2"	32	16			27		250	3625
3203016040	ARMFC1604	1"	1/4"	41	18			32		200	2900
3203016060	ARMFC1606	1"	3/8"	41	18			32,5		200	2900
3203016080	ARMFC1608	1"	1/2"	41	18			31,5		200	2900
3203016120	ARMFC1612	1"	3/4"	41	18			32		200	2900
3203020080	ARMFC2008	1.1/4"	1/2"	50	21			34		160	2320
3203020120	ARMFC2012	1.1/4"	3/4"	50	21			34		160	2320
3203020160	ARMFC2016	1.1/4"	1"	50	21			35,5		160	2320
3203024080	ARMFC2408	1.1/2"	1/2"	55	21			36		125	1813
3203024120	ARMFC2412	1.1/2"	3/4"	55	21			36		125	1813
3203024160	ARMFC2416	1.1/2"	1"	55	21			36		125	1813
3203024200	ARMFC2420	1.1/2"	1.1/4"	55	21			36		125	1813
3203032160	ARMFC3216	2"	1"	70	25			42,5		80	1160
3203032200	ARMFC3220	2"	1.1/4"	70	25			42,5		80	1160
3203032240	ARMFC3224	2"	1.1/2"	70	25			42,5		80	1160

DIN REDUCING ADAPTER BSPP MALE FORM E - BSPP FIXED FEMALE

32032



Riduzione Maschio Gas cilindrico Forma E - Femmina fissa Gas cilindrica

Intermédiaire de réduction Mâle BSPP Forme E -
Femelle fixe BSPP

Gewindereduzierung AG-zöllig Form E - IG-zöllig

Reducción con rosca Macho BSPP Forma E - Hembra
fija BSPP

Rubber seal / Guarnizione in gomma / Joint en caoutchouc /
Gummidichtung / Junta de goma


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilindrica

F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilindrica

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm			Bar	PSI
3203206020	ARMG06ELFFG02	3/8"	1/8"	22	12	10,5				315	4568
3203208020	ARMG08ELFFG02	1/2"	1/8"	27	14	10				315	4568
3203208040	ARMG08ELFFG04	1/2"	1/4"	27	14	10				315	4568
3203212040	ARMG12ELFFG04	3/4"	1/4"	32	16	10				315	4568
3203212060	ARMG12ELFFG06	3/4"	3/8"	32	16	10				315	4568
3203216040	ARMG16ELFFG04	1"	1/4"	41	18	11				315	4568
3203216060	ARMG16ELFFG06	1"	3/8"	41	18	11				160	2320
3203216080	ARMG16ELFFG08	1"	1/2"	41	18	11				160	2320
3203220080	ARMG20ELFFG08	1.1/4"	1/2"	50	20	12				160	2320
3203220120	ARMG20ELFFG12	1.1/4"	3/4"	50	20	12				160	2320
3203224080	ARMG24ELFFG08	1.1/2"	1/2"	55	22	14				630	9137
3203224120	ARMG24ELFFG12	1.1/2"	3/4"	55	22	14				630	9137
3203224160	ARMG24ELFFG16	1.1/2"	1"	55	22	14				630	9137

REDUCING PLUG BSPP MALE - METRIC FIXED FEMALE

32035



Riduzione corta Maschio Gas cilindrico SV 60° -
Femmina fissa metrica
Bouchon réducteur Mâle BSPP - Femelle fixe métrique
Reduzierung kurze Bauart AG-zöllig - IG-metrisch
Tapón reductor Macho BSPP - Hembra fija métrica


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilíndrica
F2 Metric, Metrico, Métrique, Metrisch, Métrico



CODE		CODE	THREAD	DIMENSIONS						PRESSURE PN		
			F1	F2	CH mm	L1 mm	L2 mm	L mm			Bar	PSI
3203506120	ARMFCM0612	3/8"	12x1.5	22	12,5			21,5			350	5075
3203506140	ARMFCM0614	3/8"	14x1.5	22	12,5			21,5			350	5075
3203508120	ARMFCM0812	1/2"	12x1.5	27	14			24			315	4568
3203508140	ARMFCM0814	1/2"	14x1.5	27	14			23			315	4568

REDUCING PLUG METRIC MALE - BSPP FIXED FEMALE

32040




Riduzione corta Maschio metrico SV 60° - Femmina fissa Gas cilindrica
Bouchon réducteur Mâle métrique - Femelle fixe BSPP
Reduzierung kurze Bauart AG-metrisch - IG-zöllig
Tapón reductor Macho métrico - Hembra fija BSPP

F1 Metric, Metrico, Métrique, Metrisch, Métrico
F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3204018040	ARMFCM1804	18x1.5	1/4"		24	14		24		315	4568
3204022040	ARMFCM2204	22x1.5	1/4"		27	14		24		315	4568
3204022060	ARMFCM2206	22x1.5	3/8"		27	14		24		315	4568

32050



Riduzione lunga Maschio Gas cilindrico SV 60° - Femmina fissa Gas cilindrica
 Réducteur Mâle BSPP - Femelle fixe BSPP
Reduzierung lange Bauart AG-zöllig - IG-zöllig
 Reductor Macho BSPP - Hembra fija BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3205002040	ARMFL0204	1/8"	1/4"	19	9,5	19,5	29			350	5075
3205002060	ARMFL0206	1/8"	3/8"	22	9,5	22	31,5			350	5075
3205004020	ARMFL0402	1/4"	1/8"	19	11	21	32			350	5075
3205004060	ARMFL0406	1/4"	3/8"	22	11	22	33			350	5075
3205004080	ARMFL0408	1/4"	1/2"	27	11	27	38			315	4568
3205004120	ARMFL0412	1/4"	3/4"	32	11	30	41			250	3625
3205006040	ARMFL0604	3/8"	1/4"	22	12,5	22,5	35			350	5075
3205006080	ARMFL0608	3/8"	1/2"	27	12,5	27,5	40			315	4568
3205006120	ARMFL0612	3/8"	3/4"	32	12,5	29	41,5			250	3625
3205006160	ARMFL0616	3/8"	1"	41	12,5	31	43,5			200	2900
3205008040	ARMFL0804	1/2"	1/4"	27	14	27	41			315	4568
3205008060	ARMFL0806	1/2"	3/8"	27	14	27	41			315	4568
3205008120	ARMFL0812	1/2"	3/4"	32	14	32	46			250	3625
3205008160	ARMFL0816	1/2"	1"	41	14	39,5	53,5			200	2900
3205008200	ARMFL0820	1/2"	1.1/4"	50	14	37	51			160	2320
3205008240	ARMFL0824	1/2"	1.1/2"	55	14	38,5	52,5			125	1813
3205012040	ARMFL1204	3/4"	1/4"	32	16	22	38			250	3625
3205012060	ARMFL1206	3/4"	3/8"	32	16	26	42			250	3625
3205012080	ARMFL1208	3/4"	1/2"	32	16	27	43			250	3625
3205012160	ARMFL1216	3/4"	1"	41	16	33	49			200	2900
3205012200	ARMFL1220	3/4"	1.1/4"	50	16	35	51			160	2320
3205012240	ARMFL1224	3/4"	1.1/2"	55	16	38	54			125	1813
3205016060	ARMFL1606	1"	3/8"	41	18	31,5	49,5			200	2900
3205016080	ARMFL1608	1"	1/2"	41	18	31,5	49,5			200	2900
3205016120	ARMFL1612	1"	3/4"	41	18	46	64			200	2900
3205016200	ARMFL1620	1"	1.1/4"	50	18	36	54			160	2320
3205016240	ARMFL1624	1"	1.1/2"	55	18	36	54			125	1813
3205016320	ARMFL1632	1"	2"	70	18	40	58			80	1160

REDUCING ADAPTER BSPP MALE - BSPP FIXED FEMALE

2

**Riduzione lunga Maschio Gas cilindrico SV 60° -
Femmina fissa Gas cilindrica**
Réducteur Mâle BSPP - Femelle fixe BSPP
Reduzierung lange Bauart AG-zöllig - IG-zöllig
Reductor Macho BSPP - Hembra fija BSPP




F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica
F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica



CODE	CODE	THREAD	DIMENSIONS				PRESSURE PN					
		F1	F2	CH mm	L1 mm	L2 mm	L mm				Bar	PSI
3205020120	ARMFL2012	1.1/4"	3/4"	50	20	28	48				160	2320
3205020160	ARMFL2016	1.1/4"	1"	50	20	41	61				160	2320
3205020240	ARMFL2024	1.1/4"	1.1/2"	55	20	41	61				125	1813
3205020320	ARMFL2032	1.1/4"	2"	70	20	41	61				80	1160
3205024120	ARMFL2412	1.1/2"	3/4"	55	21	35	56				125	1813
3205024160	ARMFL2416	1.1/2"	1"	55	21	41	62				125	1813
3205024200	ARMFL2420	1.1/2"	1.1/4"	55	21	41	62				125	1813
3205024320	ARMFL2432	1.1/2"	2"	70	21	41	62				80	1160
3205032160	ARMFL3216	2"	1"	70	25	32	57				80	1160
3205032200	ARMFL3220	2"	1.1/4"	70	25	32	57				80	1160
3205032240	ARMFL3224	2"	1.1/2"	70	25	32	57				80	1160

DIN LONG ADAPTER BSPP MALE FORM E - BSPP FIXED FEMALE

32052



Prolunga Maschio Gas cilindrico Forma E - Femmina fissa Gas cilindrica

Intermédiaire de extension Mâle BSPP Forme E - Femelle BSPP

Verlängerung AG-zöllig Form E - IG-Zöllig

Prolongador con rosca Macho BSPP Forma E - Hembra fija BSPP

Rubber seal / Guarnizione in gomma / Joint en caoutchouc / Gummidichtung / Junta de goma


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3205202040	APMG02ELFFG04	1/8"	1/4"	19	8	23				630	9137
3205202060	APMG02ELFFG06	1/8"	3/8"	24	8	24				630	9137
3205204020	APMG04ELFFG02	1/4"	1/8"	19	12	16				630	9137
3205204060	APMG04ELFFG06	1/4"	3/8"	24	12	24				630	9137
3205204080	APMG04ELFFG08	1/4"	1/2"	30	12	28				630	9137
3205204120	APMG04ELFFG12	1/4"	3/4"	36	12	31				630	9137
3205206040	APMG06ELFFG04	3/8"	1/4"	22	12	24				630	9137
3205206080	APMG06ELFFG08	3/8"	1/2"	30	12	29				630	9137
3205206120	APMG06ELFFG12	3/8"	3/4"	36	12	32				400	5801
3205208060	APMG08ELFFG06	1/2"	3/8"	27	14	22				630	9137
3205208120	APMG08ELFFG12	1/2"	3/4"	36	14	32				400	5801
3205208160	APMG08ELFFG16	1/2"	1"	41	14	35				400	5801
3205208200	APMG08ELFFG20	1/2"	1.1/4"	55	14	39				400	5801
3205212080	APMG12ELFFG08	3/4"	1/2"	32	16	26				400	5801
3205212160	APMG12ELFFG16	3/4"	1"	41	16	35				400	5801
3205212200	APMG12ELFFG20	3/4"	1.1/4"	55	16	39				400	5801
3205212240	APMG12ELFFG24	3/4"	1.1/2"	60	16	41				315	4568
3205216120	APMG16ELFFG12	1"	3/4"	41	18	29				400	5801
3205216200	APMG16ELFFG20	1"	1.1/4"	55	18	39				400	5801
3205216240	APMG16ELFFG24	1"	1.1/2"	60	18	41				315	4568
3205220160	APMG20ELFFG16	1.1/4"	1"	50	20	31				400	5801
3205220240	APMG20ELFFG24	1.1/4"	1.1/2"	60	20	40				315	4568
3205224200	APMG24ELFFG20	1.1/2"	1.1/4"	50	22	46				315	4568

REDUCING ADAPTER BSPP MALE - METRIC FIXED FEMALE

32055



Riduzione lunga Maschio Gas cilindrico SV 60° -
Femmina fissa metrica
Réducteur Mâle BSPP - Femelle fixe mètrique
Reduzierung lange Bauart AG-zöllig - IG-metrisch
Reductor Macho métrico BSPP - Hembra fija mètrica


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilíndrica
F2 Metric, Metrico, Métrique, Metrisch, Métrico



CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3205504140	ARMFLM0414	1/4"	14x1.5	19	11	22	33			350	5075
3205506160	ARMFLM0616	3/8"	16x1.5	22	12,5	22,5	35			350	5075
3205506180	ARMFLM0618	3/8"	18x1.5	24	12,5	27,5	40			315	4568
3205508180	ARMFLM0818	1/2"	18x1.5	27	14	27	41			315	4568
3205508220	ARMFLM0822	1/2"	22x1.5	27	14	27	41			315	4568

REDUCING ADAPTER METRIC MALE - BSPP FIXED FEMALE

32060



Riduzione lunga Maschio metrico SV 60° - Femmina fissa Gas cilindrica
Réducteur Mâle métrique - Femelle fixe BSPP
Reduzierung lange Bauart AG-metrisch - IG-zöllig
Reductor Macho métrico - Hembra fija BSPP


F1 Metric, Metrico, Métrique, Metrisch, Métrico
F2 BSPP, Gas cilíndrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilíndrica



CODE		THREAD		DIMENSIONS				PRESSURE PN				
		F1	F2	CH mm	L1 mm	L2 mm	L mm				Bar	PSI
3206018040	ARMFLM1804	18x1.5	1/4"	24	14	27	41				315	4568
3206018060	ARMFLM1806	18x1.5	3/8"	24	14	27	41				315	4568
3206018080	ARMFLM1808	18x1.5	1/2"	27	14	27	41				315	4568
3206022080	ARMFLM2208	22x1.5	1/2"	27	14	31	45				315	4568

REDUCING ADAPTER METRIC MALE - METRIC FIXED FEMALE

32065




Riduzione lunga Maschio metrico SV 60° - Femmina fissa metrica
Réducteur Mâle métrique - Femelle fixe métrique
Reduzierung lange Bauart AG-metrisch - IG-metrisch
Reductor Macho métrico - Hembra fija métrica

F1 Metric, Metrico, Métrique, Metrisch, Métrico
F2 Metric, Metrico, Métrique, Metrisch, Métrico

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3206518140	ARMFLM1814	18x1.5	14x1.5	24	14	27	41			315	4568
3206518220	ARMFLM1822	18x1.5	22x1.5	27	14	31	45			315	4568
3206522180	ARMFLM2218	22x1.5	18x1.5	27	14	31	45			315	4568

PLUG BSPP MALE

32500



Tappo Maschio Gas cilindrico SV 60°
Bouchon Mâle BSPP
Verschlusskappe AG-zöllig
Tapón Macho BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilíndrica




CODE		CODE		THREAD		DIMENSIONS					PRESSURE PN	
				F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3250002000	ATMG02	1/8"				14	9,5		15,5		350	5075
3250004000	ATMG04	1/4"				19	11		18		350	5075
3250006000	ATMG06	3/8"				22	12,5		20,5		350	5075
3250008000	ATMG08	1/2"				27	14		24		315	4568
3250010000	ATMG10	5/8"				30	16		27		315	4568
3250012000	ATMG12	3/4"				32	16		26		250	3625
3250016000	ATMG16	1"				41	18		31		200	2900
3250020000	ATMG20	1.1/4"				50	20		34		160	2320
3250024000	ATMG24	1.1/2"				55	22		36		125	1813
3250032000	ATMG32	2"				70	25		41		80	1160

DIN INNER HEXAGON PLUG BSPP FORM E

32502

Tappo Maschio Gas cilindrico Forma E con esagono incassato
Bouchon cylindriques à hexagone interne Forme E
Verschlussstopfen mit Innensechskant AG-zöllig Form E
Tapón de cierre allen BSPP Forma E




Rubber seal / Guarnizione in gomma / Joint en caoutchouc / Gummidichtung / Junta de goma

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilíndrica

												
CODE	CODE	THREAD	DIMENSIONS						PRESSURE PN			
		F1	F2	CH mm	L1 mm	L2 mm	D mm				Bar	PSI
3250202000	ATMG02ELX	1/8"		5	8	4	14				400	5801
3250204000	ATMG04ELX	1/4"		6	12	5	19				400	5801
3250206000	ATMG06ELX	3/8"		8	12	5	22				400	5801
3250208000	ATMG08ELX	1/2"		10	14	5	27				400	5801
3250212000	ATMG12ELX	3/4"		12	16	5	32				400	5801
3250216000	ATMG16ELX	1"		17	16	6,5	40				400	5801
3250220000	ATMG20ELX	1.1/4"		22	16	6,5	50				250	3626
3250224000	ATMG24ELX	1.1/2"		27	16	6,5	55				250	3626

PLUG BSPP SWIVEL FEMALE

32510



Tappo Femmina girevole Gas cilindrica SV 60°
Bouchon Femelle tournante BSPP
Verschlusskappe DKR
Tapón Hembra giratoria BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilindrica


* Thrust - wire nut
Dado spinato / Écrou à jonc / Gestiftete Überwurfmutter /
Tuerca con seguro



CODE		CODE		THREAD		DIMENSIONS					PRESSURE PN	
				F1	F2	CH	L				Bar	PSI
						mm	mm					
3251002000	ATFG02			1/8"		15	18				350	5075
3251004000	ATFG04			1/4"		19	20				350	5075
3251006000	ATFG06			3/8"		22	24				350	5075
3251008000	ATFG08			1/2"		27	25,5				315	4568
3251010000	ATFG10			5/8"		28	25				315	4568
3251012000	ATFG12			3/4"		32	28				250	3625
3251016000	ATFG16			1"		38	32				200	2900
3251020000	ATFG20			1.1/4"		50	37				160	2320
3251024000	ATFG24			1.1/2"		55	39,5				125	1813
3251032000	ATFG32 *			2"		70	40,5				80	1160

PLUG METRIC MALE

32520



Tappo Maschio metrico SV 60°

Bouchon Mâle métrique

Verschlusskappe AG-metrisch flachdichtend

Tapón Macho métrico


F1 Metric, Metrico, Métrique, Metrisch, Métrico

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3252008000	ATMM08	8x1			9	12,5		18		350	5075
3252010000	ATMM10	10x1			14	9,5		15,5		350	5075
3252010150	ATMM10x1,5	10x1.5			14	9,5		15,5		350	5075
3252012000	ATMM12	12x1.5			17	11		18		350	5075
3252014000	ATMM14	14x1.5			19	11		18		350	5075
3252016000	ATMM16	16x1.5			22	12,5		20,5		350	5075
3252018000	ATMM18	18x1.5			24	14		22		315	4568
3252020000	ATMM20	20x1.5			27	14		24		315	4568
3252022000	ATMM22	22x1.5			27	14		24		315	4568
3252024000	ATMM24	24x1.5			30	16		25		315	4568
3252026000	ATMM26	26x1.5			32	16		26		250	3625
3252028000	ATMM28	28x1.5			34	16		26		250	3625
3252030000	ATMM30	30x1.5			38	18		29		200	2900

DIN INNER HEXAGON PLUG METRIC FORM E

32522

Tappo Maschio metrico Forma E con esagono incassato
Bouchon métrique à hexagone interne Forme E
Verschlussstopfen mit Innensechskant AG-metrisch Form E
Tapón de cierre allen métrico Forma E



Rubber seal / Guarnizione in gomma / Joint en caoutchouc / Gummidichtung / Junta de goma


F1 Metric, Metrico, Métrique, Metrisch, Métrico



CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	D mm		Bar	PSI
3252210000	ATMM10ELX	10x1			5	8	4	14		400	5801
3252212000	ATMM12ELX	12x1,5			6	12	5	17		400	5801
3252214000	ATMM14ELX	14x1,5			6	12	5	19		400	5801
3252216000	ATMM16ELX	16x1,5			8	12	5	22		400	5801
3252218000	ATMM18ELX	18x1,5			8	12	5	24		400	5801
3252220000	ATMM20ELX	20x1,5			10	14	5	26		400	5801
3252222000	ATMM22ELX	22x1,5			10	14	5	27		400	5801
3252226000	ATMM26ELX	26x1,5			12	16	5	32		400	5801
3252227000	ATMM27ELX	27x2			12	16	5	32		400	5801
3252233000	ATMM33ELX	33x2			17	16	6,5	40		400	5801
3252242000	ATMM42ELX	42x2			22	16	6,5	50		250	3626
3252248000	ATMM48ELX	48x2			24	16	6,5	55		250	3626

PLUG METRIC SWIVEL FEMALE

32525




Tappo Femmina girevole metrica SV 60°
Bouchon Femelle tournante métrique
Verschlusskappe DKM
Tapón Hembra giratoria métrico

F1 Metric, Metrico, Métrique, Metrisch, Métrico

												
CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
		F1	F2	CH mm	L mm						Bar	PSI
3252510000	ATFM10	10x1		15	18						350	5075
3252512000	ATFM12	12x1.5		17	18,5						350	5075
3252514000	ATFM14	14x1.5		19	20						350	5075
3252516000	ATFM16	16x1.5		22	21,5						350	5075
3252518000	ATFM18	18x1.5		22	21,5						315	4568
3252520000	ATFM20	20x1.5		27	24						315	4568
3252522000	ATFM22	22x1.5		27	24						315	4568
3252524000	ATFM24	24x1.5		30	26,5						315	4568
3252526000	ATFM26	26x1.5		32	28,5						250	3625
3252528000	ATFM28	28x1.5		32	30						250	3625
3252530000	ATFM30	30x1.5		36	30,5						200	2900

WELDING ADAPTER BSPP MALE

32530



Adattatore diritto Maschio Gas cilindrico SV 60° -
estremità a saldare
Adaptateur à souder Mâle BSPP
Einschweißadapter AG-zöllig
Adaptador Macho soldable BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilíndrica


No zinc-plated parts
Elementi non sottoposti al processo di zincatura / Parties non
soumises à zingage / Teile nicht behandelt (keine Verzinkung) /
Elementos no sometidos al proceso de galvanización



CODE	CODE	THREAD		DIMENSIONS						PRESSURE PN	
		F1	F2	CH mm	L1 mm	L2 mm	L mm	D mm		Bar	PSI
3253002000	AMNS02	1/8"		14	9,5		15,5	4		350	5075
3253004000	AMNS04	1/4"		19	11		18	7		350	5075
3253006000	AMNS06	3/8"		22	12,5		20,5	9,5		350	5075
3253008000	AMNS08	1/2"		27	14		24	12		315	4568
3253010000	AMNS10	5/8"		27	16		26	14		315	4568
3253012000	AMNS12	3/4"		32	16		26	16		250	3625
3253016000	AMNS16	1"		41	18		31	22		200	2900
3253020000	AMNS20	1.1/4"		50	20		34	26		160	2320
3253024000	AMNS24	1.1/2"		55	22		36	35		125	1813
3253032000	AMNS32	2"		70	25		41	45		80	1160

WELDING ADAPTER BSPP MALE WITH POCKET

32535



**Adattatore diritto Maschio Gas cilindrico SV 60° -
estremità a saldare con tasca**
Adaptateur à souder Mâle BSPP avec poche
**Einschweißadapter innen mit vergrößertem
lochanatz AG-zöllig**
Adaptador Macho soldable BSPP con bolsillo

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilindrica

No zinc-plated parts


Elementi non sottoposti al processo di zincatura / Parties non
soumises à zingage / Teile nicht behandelt (keine Verzinkung) /
Elementos no sometidos al proceso de galvanización



CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN		
		F1	F2	CH mm	L1 mm	L2 mm	L mm	T mm	P mm		Bar	PSI
3253504080	AMNS04T08	1/4"		19	11		18	8	4		350	5075
3253504100	AMNS04T10	1/4"		19	11		18	10	4		350	5075
3253504120	AMNS04T12	1/4"		19	11		18	12	4		350	5075
3253506100	AMNS06T10	3/8"		22	12,5		20,5	10	6		350	5075
3253506120	AMNS06T12	3/8"		22	12,5		20,5	12	5,5		350	5075
3253506140	AMNS06T14	3/8"		22	12,5		20,5	14	5,5		350	5075
3253508140	AMNS08T14	1/2"		27	14		24	14	6		315	4568
3253508150	AMNS08T15	1/2"		27	14		24	15	6		315	4568
3253508160	AMNS08T16	1/2"		27	14		24	16	6		315	4568
3253512250	AMNS12T25	3/4"		32	16		26	25	6		250	3625
3253516260	AMNS16T26	1"		41	18		31	26	7		200	2900

WELDING ADAPTER METRIC MALE

32540



**Adattatore diritto Maschio metrico SV 60° -
estremità a saldare**
Adaptateur à souder Mâle métrique
Einschweißadapter AG-metrisch
Adaptador Macho soldable métrico

F1 Metric, Metrico, Métrique, Metrisch, Métrico


No zinc-plated parts
Elementi non sottoposti al processo di zincatura / Parties non
soumises à zingage / Teile nicht behandelt (keine Verzinkung) /
Elementos no sometidos al proceso de galvanización



CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm	D mm	Bar	PSI
3254010000	AMNSM10	10x1			14	9,5		15,5	4	350	5075
3254012000	AMNSM12	12x1.5			17	11		18	5	350	5075
3254014000	AMNSM14	14x1.5			19	11		18	7	350	5075
3254016000	AMNSM16	16x1.5			22	12,5		20,5	9,5	350	5075
3254018000	AMNSM18	18x1.5			24	14		22	9,5	315	4568
3254020000	AMNSM20	20x1.5			27	14		24	12	315	4568
3254022000	AMNSM22	22x1.5			27	14		24	12	315	4568
3254024000	AMNSM24	24x1.5			30	16		25	14	315	4568
3254026000	AMNSM26	26x1.5			32	16		26	17	250	3625

WELDING ADAPTER METRIC MALE WITH POCKET

32545



Adattatore diritto Maschio metrico SV 60° - estremità a saldare con tasca
Adaptateur à souder Mâle métrique avec poche
Einschweißadapter innen mit vergrößertem lochansatz AG-metrisch
Adaptador Macho soldable métrico con bolsillo

F1 Metric, Metrico, Métrique, Metrisch, Métrico

No zinc-plated parts
Elementi non sottoposti al processo di zincatura / Parties non soumises à zingage / Teile nicht behandelt (keine Verzinkung) / Elementos no sometidos al proceso de galvanización




PRESSURE PN

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN		
		F1	F2	CH mm	L1 mm	L2 mm	L mm	T mm	P mm		Bar	PSI
3254514100	AMNSM14T10	14x1.5		19	11		18	10	6		350	5075
3254514120	AMNSM14T12	14x1.5		19	11		18	12	6		350	5075
3254516120	AMNSM16T12	16x1.5		22	12,5		20,5	12	6		350	5075
3254518140	AMNSM18T14	18x1.5		24	14		22	14	6		315	4568
3254518150	AMNSM18T15	18x1.5		24	14		22	15	6		315	4568
3254522160	AMNSM22T16	22x1.5		27	14		24	16	7		315	4568
3254522220	AMNSM22T22	22x1.5		27	14		24	22	7		315	4568

WELDING UNION BSPP MALE

32550



Terminale a saldare Maschio Gas cilindrico SV 60°
Embout Mâle à souder BSPP
Schweißverbindung AG-zöllig
Empalme soldable Macho BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilindrica


No zinc-plated parts
Elementi non sottoposti al processo di zincatura / Parties non
soumises à zingage / Teile nicht behandelt (keine Verzinkung) /
Elementos no sometidos al proceso de galvanización



CODE	CODE	THREAD		DIMENSIONS						PRESSURE PN	
		F1	F2	L mm	D mm	A mm				Bar	PSI
3255002000	ATSG02	1/8"		24	10	9,5				350	5075
3255004000	ATSG04	1/4"		25	14	11				350	5075
3255006000	ATSG06	3/8"		35	17	12,5				350	5075
3255008000	ATSG08	1/2"		35	21	14				315	4568
3255010000	ATSG10	5/8"		35	24	16				315	4568
3255012000	ATSG12	3/4"		36	28	16				250	3625
3255016000	ATSG16	1"		41	34	18				200	2900
3255020000	ATSG20	1.1/4"		45	42	20				160	2320
3255024000	ATSG24	1.1/2"		50	48	21				125	1813
3255032000	ATSG32	2"		50	60	25				80	1160

WELDING UNION METRIC MALE

32555



Terminale a saldare Maschio metrico SV 60°

Embout Mâle à souder métrique

Schweißverbindung AG-metrisch

Empalme soldable Macho métrico

F1 Metric, Metrico, Métrique, Metrisch, Métrico


No zinc-plated parts

Elementi non sottoposti al processo di zincatura / Parties non soumises à zingage / Teile nicht behandelt (keine Verzinkung) / Elementos no sometidos al proceso de galvanización

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	L mm	D mm	A mm			Bar	PSI
3255514000	ATSM14	14x1.5			25	14	11			350	5075
3255516000	ATSM16	16x1.5			30	16	12,5			350	5075
3255518000	ATSM18	18x1.5			35	18	14			315	4568
3255520000	ATSM20	20x1.5			35	20	14			315	4568
3255522000	ATSM22	22x1.5			35	22	14			315	4568
3255526000	ATSM26	26x1.5			40	26	16			250	3625

WELDING STUD BSPP

32560



Borchia a saldare Gas cilindrica

Manchon Femelle BSPP ronde

Schweißring mit durchgängigem IG-zöllig

Manguito redondo roscado Hembra BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

No zinc-plated parts


Elementi non sottoposti al processo di zincatura / Parties non soumises à zingage / Teile nicht behandelt (keine Verzinkung) / Elementos no sometidos al proceso de galvanización



CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	L mm	D mm	A mm			Bar	PSI
3256002000	ABSG02	1/8"				20	14			350	5075
3256004000	ABSG04	1/4"				22	16			350	5075
3256006000	ABSG06	3/8"				26	18			350	5075
3256008000	ABSG08	1/2"				30	18			315	4568
3256012000	ABSG12	3/4"				38	20			250	3625
3256012400	ABSG12H40	3/4"				38	40			250	3625
3256016000	ABSG16	1"				46	26			200	2900
3256016400	ABSG16H40	1"				46	40			200	2900
3256020000	ABSG20	1.1/4"				56	26			160	2320
3256024000	ABSG24	1.1/2"				62	30			125	1813
3256032000	ABSG32	2"				70	30			80	1160

WELDING STUD METRIC

32565



Borchia a saldare metrica SV 60°
Manchon Femelle métrique ronde
Schweißring mit durchgängigem IG-metrisch
Manguito redondo roscado Hembra métrica


F1 Metric, Metrico, Métrique, Metrisch, Métrico

No zinc-plated parts
Elementi non sottoposti al processo di zincatura / Parties non soumises à zingage / Teile nicht behandelt (keine Verzinkung) / Elementos no sometidos al proceso de galvanización



CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	L mm	D mm	A mm			Bar	PSI
3256512000	ABSM12	12x1.5				20	14			350	5075
3256514000	ABSM14	14x1.5				22	16			350	5075
3256516000	ABSM16	16x1.5				26	18,5			350	5075
3256518000	ABSM18	18x1.5				26	18			315	4568
3256520000	ABSM20	20x1.5				30	18			315	4568
3256522000	ABSM22	22x1.5				30	18			315	4568

33000



Occhio a saldare Gas cilindrico

Banjo à souder BSPP

Ringnippel zöllig einschweißstutzen

Esferico soldable BSPP

No zinc-plated parts

Elementi non sottoposti al processo di zincatura / Parties non soumises à zingage / Teile nicht behandelt (keine Verzinkung) / Elementos no sometidos al proceso de galvanización



CODE	CODE	THREAD		DIMENSIONS					PRESSURE PN			
		F1	F2	L mm	D inch	T mm	S mm	SF mm		Bar	PSI	
3300002060	AOSG0206			19	1/8"	6	10	17				
3300004060	AOSG0406			24	1/4"	6	14	24				
3300004080	AOSG0408			24	1/4"	8	14	24				
3300004100	AOSG0410			24	1/4"	10	14	24				
3300004120	AOSG0412			24	1/4"	12	15	24				
3300006100	AOSG0610			27	3/8"	10	17	28				
3300006120	AOSG0612			27	3/8"	12	17	28				
3300006140	AOSG0614			27	3/8"	14	17	28				
3300006150	AOSG0615			27	3/8"	15	18	28				
3300008120	AOSG0812			32	1/2"	12	22	35				
3300008140	AOSG0814			32	1/2"	14	22	35				
3300008150	AOSG0815			32	1/2"	15	22	35				
3300008160	AOSG0816			32	1/2"	16	22	35				
3300008180	AOSG0818			32	1/2"	18	22	35				
3300010180	AOSG1018			33	5/8"	18	24	38				
3300010220	AOSG1022			35	5/8"	22	25	38				
3300012180	AOSG1218			40	3/4"	18	30	46				
3300012200	AOSG1220			40	3/4"	20	30	46				
3300012220	AOSG1222			40	3/4"	22	30	46				
3300016250	AOSG1625			45	1"	25	38	58				
3300016270	AOSG1627			45	1"	27	38	58				


33005

Occhio a saldare metrico

Banjo à souder métrique

Ringnippel metrisch einschweißstutzen

Esferico soldable métrico




No zinc-plated parts

Elementi non sottoposti al processo di zincatura / Parties non soumises à zingage / Teile nicht behandelt (keine Verzinkung) / Elementos no sometidos al proceso de galvanización



CODE	CODE	THREAD		DIMENSIONS					PRESSURE PN			
		F1	F2	L mm	D mm	T mm	S mm	SF mm		Bar	PSI	
3300506040	AOSM0604			14	6	4	8	12				
3300508040	AOSM0804			15	8	4	8	14				
3300508050	AOSM0805			15	8	5	8	14				
3300508060	AOSM0806			15	8	6	8	14				
3300510060	AOSM1006			19	10	6	10	17				
3300510080	AOSM1008			22	10	8	12	20				
3300512060	AOSM1206			22	12	6	12	20				
3300512080	AOSM1208			22	12	8	12	20				
3300512100	AOSM1210			22	12	10	13	20				
3300514060	AOSM1406			24	14	6	14	24				
3300514080	AOSM1408			24	14	8	14	24				
3300514100	AOSM1410			24	14	10	14	24				
3300514120	AOSM1412			24	14	12	15	24				
3300516100	AOSM1610			27	16	10	17	28				
3300516120	AOSM1612			27	16	12	17	28				
3300516140	AOSM1614			27	16	14	17	28				
3300518100	AOSM1810			29	18	10	20	32				
3300518120	AOSM1812			29	18	12	20	32				
3300518140	AOSM1814			29	18	14	20	32				
3300518150	AOSM1815			29	18	15	20	32				
3300518160	AOSM1816			29	18	16	20	32				
3300518180	AOSM1818			29	18	18	20	32				
3300520100	AOSM2010			32	20	10	22	35				
3300520120	AOSM2012			32	20	12	22	35				
3300520140	AOSM2014			32	20	14	22	35				
3300520150	AOSM2015			32	20	15	22	35				
3300520160	AOSM2016			32	20	16	22	35				
3300522100	AOSM2210			32	22	10	22	35				

Occhio a saldare metrico
Banjo à souder métrique
Ringnippel metrisch einschweißstutzen
Esferico soldable métrico



No zinc-plated parts
Elementi non sottoposti al processo di zincatura / Parties non soumises à zingage / Teile nicht behandelt (keine Verzinkung) / Elementos no sometidos al proceso de galvanización




CODE	CODE	THREAD		DIMENSIONS					PRESSURE PN			
		F1	F2	L mm	D mm	T mm	S mm	SF mm		Bar	PSI	
3300522120	AOSM2212			32	22	12	22	35				
3300522140	AOSM2214			32	22	14	22	35				
3300522150	AOSM2215			32	22	15	22	35				
3300522160	AOSM2216			32	22	16	22	35				
3300522180	AOSM2218			32	22	18	22	35				
3300522200	AOSM2220			32	22	20	22	38				
3300524160	AOSM2416			36	24	16	26	42				
3300524180	AOSM2418			36	24	18	26	42				
3300524200	AOSM2420			36	24	20	26	42				
3300526200	AOSM2620			40	26	20	30	46				
3300526220	AOSM2622			40	26	22	30	46				
3300530280	AOSM3028			40	30	28	32	48				

BSPP BANJO - BSPP MALE

33010

Occhio Gas cilindrico - Maschio Gas cilindrico SV 60°
Banjo BSPP - Mâle BSPP
Ringnippel zöllig - AG-zöllig
Esferico BSPP - Macho BSPP



F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica




CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	L mm	D inch	S mm	SF mm			Bar	PSI
3301002020	AOFG0202	1/8"			24	1/8"	10	17				
3301004040	AOFG0404	1/4"			24	1/4"	14	24				
3301006040	AOFG0604	1/4"			29	3/8"	17	28				
3301006060	AOFG0606	3/8"			29	3/8"	17	28				
3301006080	AOFG0608	1/2"			35	3/8"	22	32				
3301008040	AOFG0804	1/4"			29	1/2"	22	35				
3301008060	AOFG0806	3/8"			32	1/2"	22	35				
3301008080	AOFG0808	1/2"			32	1/2"	22	35				
3301012080	AOFG1208	1/2"			41	3/4"	30	46				
3301012120	AOFG1212	3/4"			38	3/4"	30	46				
3301016120	AOFG1612	3/4"			42	1"	38	58				
3301016160	AOFG1616	1"			44	1"	38	58				

BSPP BANJO - METRIC MALE

33015

Occhio Gas cilindrico - Maschio metrico SV 60°
Banjo BSPP - Mâle métrique
Ringnippel zöllig - AG-metrisch
Esferico BSPP - Macho métrico



F1 Metric, Metrico, Métrique, Metrisch, Métrico




CODE		CODE		THREAD		DIMENSIONS				PRESSURE PN			
				F1	F2	L	D	S	SF			Bar	PSI
						mm	inch	mm	mm				
3301504140	AOFGM0414	14x1.5				24	1/4"	14	24				
3301506140	AOFGM0614	14x1.5				29	3/8"	17	28				
3301506160	AOFGM0616	16x1.5				29	3/8"	17	28				
3301506180	AOFGM0618	18x1.5				29	3/8"	17	28				
3301508180	AOFGM0818	18x1.5				32	1/2"	22	35				
3301508220	AOFGM0822	22x1.5				32	1/2"	22	35				

METRIC BANJO - BSPP MALE

33020

Occhio metrico - Maschio Gas cilindrico SV 60°
Banjo métrique - Mâle BSPP
Ringnippel metrisch - AG-zöllig
Esferico métrico - Macho BSPP




F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilíndrica



CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	L mm	D mm	S mm	SF mm			Bar	PSI
3302014040	AOFMG1404	1/4"			24	14	14	24				
3302014060	AOFMG1406	3/8"			27	14	17	28				
3302016060	AOFMG1606	3/8"			27	16	17	28				
3302018060	AOFMG1806	3/8"			27	18	20	32				
3302018080	AOFMG1808	1/2"			32	18	21	35				
3302022060	AOFMG2206	3/8"			32	22	22	35				
3302022080	AOFMG2208	1/2"			35	22	22	35				

BSPP BANJO - BSPP MALE WITH GUIDE

33025



Occhio Gas cilindrico - Maschio Gas cilindrico
SV 60° con battuta
Banjo BSPP - Mâle BSPP avec guide
Ringnippel zöllig - AG-zöllig mit Anschlag
Esferico BSPP - Macho BSPP con guía

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilindrica



CODE		THREAD		DIMENSIONS				PRESSURE PN				
		F1	F2	L mm	D inch	S mm	SF mm			Bar	PSI	
3302504040	AOFG0404B	1/4"		34,5	1/4"	14	24					
3302506040	AOFG0604B	1/4"		39,5	3/8"	17	28					
3302506060	AOFG0606B	3/8"		39,5	3/8"	17	28					
3302506080	AOFG0608B	1/2"		45,5	3/8"	17	28					
3302508060	AOFG0806B	3/8"		45	1/2"	22	35					
3302508080	AOFG0808B	1/2"		46	1/2"	22	35					
3302512120	AOFG1212B	3/4"		45	3/4"	30	46					
3302516160	AOFG1616B	1"		-	1"	-	-					

METRIC BANJO - METRIC MALE


33030

Occhio metrico - Maschio metrico SV 60°

Banjo métrique - Mâle métrique

Ringnippel metrisch - AG-metrisch

Esferico métrico - Macho métrico




F1 Metric, Metrico, Métrique, Metrisch, Métrico



CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	L mm	D mm	S mm	SF mm			Bar	PSI
3303010100	AOFM1010	10x1			24	10	10	17				
3303012120	AOFM1212	12x1.5			24	12	12	20				
3303014140	AOFM1414	14x1.5			24	14	14	24				
3303016160	AOFM1616	16x1.5			29	16	17	28				
3303018160	AOFM1816	16x1.5			28	18	20	32				
3303018180	AOFM1818	18x1.5			32	18	20	32				
3303018220	AOFM1822	22x1.5			32	18	23	32				
3303020180	AOFM2018	18x1.5			32	20	22	35				
3303020200	AOFM2020	20x1.5			32	20	22	35				
3303022180	AOFM2218	18x1.5			30	22	23	35				
3303022220	AOFM2222	22x1.5			32	22	23	35				
3303026260	AOFM2626	26x1.5			38	26	29	46				

METRIC BANJO - DIN MALE

33035



Occhio metrico - Maschio DIN 24°
Banjo métrique - Mâle DIN 24°
Ringnippel metrisch / CEL - Anschluss nach DIN 24°
Esferico métrico - Macho DIN 24°

F1 Metric, Metrico, Métrique, Metrisch, Métrico

Code with nut and cutting ring
Codice con dado e ogiva / Code avec écrou et bague / Code mit Überwurfmutter und Schneidring / Código con tuerca y anillo:


3303512060 - AOM12L6



CODE		CODE		THREAD	DIMENSIONS				PRESSURE PN			
				F1	F2	L mm	D mm	D1 mm	SF mm	Bar		PSI
3303512061	AOM12L6.1	12x1.5				21	12	6	20			
3303514081	AOM14L8.1	14x1.5				22	14	8	24			
3303516101	AOM16L10.1	16x1.5				28,6	16	10	28			
3303518101	AOM18L10.1	16x1.5				28	18	10	32			
3303518121	AOM18L12.1	18x1.5				28	18	12	32			
3303518151	AOM18L15.1	22x1.5				25	18	15	32			
3303520121	AOM20L12.1	18x1.5				25	20	12	35			
3303520151	AOM20L15.1	22x1.5				26	20	15	35			
3303522121	AOM22L12.1	18x1.5				25	22	12	35			
3303522151	AOM22L15.1	22x1.5				26	22	15	35			
3303526181	AOM26L18.1	26x1.5				30	26	18	46			

BSPP BANJO - DIN MALE

33040



Occhio Gas cilindrico - Maschio DIN 24°
Banjo BSPP - Mâle DIN 24°
Ringnippel zöllig / CEL - Anschluss nach DIN 24°
Esferico BSPP - Macho DIN 24°

F1 Metric, Metrico, Métrique, Metrisch, Métrico

Code with nut and cutting ring
Codice con dado e ogiva / Code avec écrou et bague / Code mit Überwurfmutter und Schneidring / Código con tuerca y anillo:

33040040800 - AOG04L8




PRESSURE PN

CODE	CODE	THREAD	DIMENSIONS						PRESSURE PN			
			F1	F2	L mm	D inch	D1 mm	SF mm			Bar	PSI
3304004081	AOG04L8.1	14x1.5			22	1/4"	8	24				
3304006081	AOG06L8.1	14x1.5			24	3/8"	8	28				
3304006101	AOG06L10.1	16x1.5			27	3/8"	10	28				
3304006121	AOG06L12.1	18x1.5			27	3/8"	12	28				
3304008121	AOG08L12.1	18x1.5			29	1/2"	12	35				
3304008151	AOG08L15.1	22x1.5			29,5	1/2"	15	35				

BSPP BANJO WITH STANDPIPE

33045


Occhio Gas cilindrico con estremità tubolare
Banjo BSPP avec extrémité tubolaire
Ringnippel zöllig - Rohranschluss außen metrisch
Esferico BSPP con cabo tubolar



										 PRESSURE PN	
CODE	CODE	THREAD		DIMENSIONS						Bar	PSI
		F1	F2	L mm	D mm	D1 mm	S mm	SF mm			
3304506120	AOG06PDL12			42	12	3/8"	17	28			

33050

Bullone forato Gas cilindrico
Vis creuse simple BSPP
Hohlschraube einfach zöllig
Tornillo orientable simple BSPP



F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3305002000	ABFG02	1/8"			14	19		24,5		350	5075
3305004000	ABFG04	1/4"			19	27		33		350	5075
3305006000	ABFG06	3/8"			22	32,5		40		350	5075
3305008000	ABFG08	1/2"			27	38		47		315	4568
3305010000	ABFG10	5/8"			30	41		49		315	4568
3305012000	ABFG12	3/4"			32	46		56		250	3625
3305016000	ABFG16	1"			41	57		70,5		200	2900
3305020000	ABFG20	1.1/4"			50	69		83		160	2320
3305024000	ABFG24	1.1/2"			55	69		80		125	1813

METRIC BOLT

33055

Bullone forato metrico
Vis creuse simple métrique
Hohlschraube einfach metrisch
Tornillo orientable simple métrico



F1 Metric, Metrico, Métrique, Metrisch, Métrico




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3305506000	ABFM06	6x1			10	16		21		350	5075
3305508000	ABFM08	8x1			12	16		21		350	5075
3305508001	ABFM08X1.25	8x1.25			12	16		21		350	5075
3305508002	ABFM08X1.5	8x1.5			12	16		21		350	5075
3305510000	ABFM10	10x1			14	19,5		24,5		350	5075
3305510001	ABFM10X1.25	10x1.25			14	19,5		24,5		350	5075
3305510002	ABFM10X1.5	10x1.5			14	19,5		24,5		350	5075
3305512002	ABFM12	12x1.5			17	24,5		31		350	5075
3305512000	ABFM12X1	12x1			17	24,5		31		350	5075
3305512001	ABFM12X1.25	12x1.25			17	24,5		31		350	5075
3305514000	ABFM14	14x1.5			19	27		33		350	5075
3305516000	ABFM16	16x1.5			22	32		40		350	5075
3305518000	ABFM18	18x1.5			24	36		44		315	4568
3305520000	ABFM20	20x1.5			27	38		47		315	4568
3305522000	ABFM22	22x1.5			27	38		47		315	4568
3305524000	ABFM24	24x1.5			30	46,5		56,6		315	4568
3305524003	ABFM24X2	24x2			30	46,5		56,5		315	4568
3305526000	ABFM26	26x1.5			32	46,5		56		250	3625
3305530000	ABFM30	30x1.5			38	58		69		200	2900

DOUBLE BSPP BOLT

33060

Bullone forato doppio Gas cilindrico
Vis creuse double BSPP
Hohlschraube doppelt zöllig
Tornillo orientable doble BSPP




F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3306002000	ABFDG02	1/8"			14	30,5		35,5		350	5075
3306004000	ABFDG04	1/4"			19	43		49,5		350	5075
3306006000	ABFDG06	3/8"			22	50,5		58		350	5075
3306008000	ABFDG08	1/2"			27	64		73		315	4568
3306010000	ABFDG10	5/8"			30	66,5		74,5		315	4568
3306012000	ABFDG12	3/4"			32	81		92		250	3625
3306016000	ABFDG16	1"			41	96		110		200	2900
3306020000	ABFDG20	1.1/4"			50	-		-		160	2320
3306024000	ABFDG24	1.1/2"			55	-		-		125	1813

DOUBLE METRIC BOLT

33065

Bullone forato doppio metrico
Vis creuse double métrique
Hohlschraube doppelt metrisch
Tornillo orientable doble métrico



F1 Metric, Metrico, Métrique, Metrisch, Métrico




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm	L mm		Bar	PSI
3306508000	ABFDM08	8x1			12	29		34		350	5075
3306508001	ABFDM08X1.25	8x1.25			12	29		34		350	5075
3306510000	ABFDM10	10x1			14	33		38		350	5075
3306510001	ABFDM10X1.25	10x1.25			14	33		38		350	5075
3306512000	ABFDM12	12x1.5			17	37		43		350	5075
3306512001	ABFDM12X1.25	12x1.25			17	37		43		350	5075
3306514000	ABFDM14	14x1.5			19	43		49,5		350	5075
3306516000	ABFDM16	16x1.5			22	50		58		350	5075
3306518000	ABFDM18	18x1.5			24	58		66		315	4568
3306520000	ABFDM20	20x1.5			27	64		73		315	4568
3306522000	ABFDM22	22x1.5			27	64		73		315	4568
3306526000	ABFDM26	26x1.5			32	81		92		250	3625

90° ELBOW ADAPTER BSPP MALE

35000

Gomito 90° Maschio Gas cilindrico SV 60°
Adaptateur coude 90° Mâle BSPP
Adapter 90° GSK AG-zöllig
Codo 90° Macho BSPP



F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm				Bar	PSI
3500002000	LMG02	1/8"			14	22				350	5075
3500004000	LMG04	1/4"			14	27				350	5075
3500006000	LMG06	3/8"			19	29				350	5075
3500008000	LMG08	1/2"			22	36,5				315	4568
3500010000	LMG10	5/8"			27	36,5				315	4568
3500012000	LMG12	3/4"			27	42				250	3625
3500016000	LMG16	1"			33	50				200	2900
3500020000	LMG20	1.1/4"			41	56				160	2320

90° ELBOW ADAPTER METRIC MALE

35005

Gomito 90° Maschio metrico SV 60°
Adaptateur coude 90° Mâle métrique
Adapter 90° GSK AG-metrisch
Codo 90° Macho métrico



F1 Metric, Metrico, Métrique, Metrisch, Métrico




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm				Bar	PSI
3500510000	LMM10	10x1			14	22				350	5075
3500512000	LMM12	12x1.5			14	22				350	5075
3500514000	LMM14	14x1.5			14	27				350	5075
3500516000	LMM16	16x1.5			19	29				350	5075
3500518000	LMM18	18x1.5			19	29				315	4568
3500520000	LMM20	20x1.5			22	36,5				315	4568
3500522000	LMM22	22x1.5			22	36,5				315	4568
3500526000	LMM26	26x1.5			27	42				250	3625
3500530000	LMM30	30x1.5			33	50				200	2900

90° ELBOW ADAPTER BSPT MALE

35010

Gomito 90° Maschio Gas conico
Adaptateur coude 90° Mâle conique
Adapter 90° GSK AG-konisch
Codo 90° - Macho cónico



F1 BSPT, Gas conico, Gaz conique, Kegeliges Gasgewinde, Rosca cónica




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm				Bar	PSI
3501002000	LMGK02	1/8"			14	20,5				350	5075
3501004000	LMGK04	1/4"			14	28				350	5075
3501006000	LMGK06	3/8"			19	31				350	5075
3501008000	LMGK08	1/2"			22	37,5				315	4568
3501012000	LMGK12	3/4"			27	42				250	3625
3501016000	LMGK16	1"			33	50				200	2900
3501020000	LMGK20	1.1/4"			41	60				160	2320

90° ELBOW ADAPTER NPT MALE

35015

Gomito 90° Maschio NPT
Adaptateur coude 90° Mâle NPT
Adapter 90° GSK AG-NPT
Codo 90° Macho NPT




F1 NPT



CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm				Bar	PSI
3501502000	LMN02	1/8"			14	20,5				350	5075
3501504000	LMN04	1/4"			14	28				350	5075
3501506000	LMN06	3/8"			19	31				350	5075
3501508000	LMN08	1/2"			22	37,5				315	4568
3501512000	LMN12	3/4"			27	42				250	3625
3501516000	LMN16	1"			33	50				200	2900
3501520000	LMN20	1.1/4"			41	60				160	2320

90° ELBOW ADAPTER BSPT MALE - BSPP MALE

35020



Gomito 90° Maschio Gas conico - Maschio Gas cilindrico SV 60°

Adaptateur coude 90° Mâle conique - Mâle BSPP

Adapter 90° GSK AG-konisch - AG-zöllig

Codo 90° Macho cónico - Macho BSPP


F1 BSPT, Gas conico, Gaz conique, Kegeliges Gasgewinde, Rosca cónica

F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilíndrica

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm			Bar	PSI
3502002020	LMGK02MG02	1/8"	1/8"	14	20,5	22				350	5075
3502004040	LMGK04MG04	1/4"	1/4"	14	28	27				350	5075
3502006060	LMGK06MG06	3/8"	3/8"	19	31	29				350	5075
3502008080	LMGK08MG08	1/2"	1/2"	22	37,5	36,5				315	4568
3502008100	LMGK08MG10	1/2"	5/8"	27	37,5	36,5				315	4568
3502012120	LMGK12MG12	3/4"	3/4"	27	42	42				250	3625
3502016160	LMGK16MG16	1"	1"	33	50	50				200	2900
3502020200	LMGK20MG20	1.1/4"	1.1/4"	41	60	56				160	2320

90° ELBOW ADAPTER BSPP MALE - NPT MALE

35025



Gomito 90° Maschio Gas cilindrico SV 60° -
Maschio NPT
Adaptateur coude 90° Mâle BSPP - Mâle NPT
Adapter 90° GSK AG-zöllig - AG-NPT
Codo 90° Macho BSPP - Macho NPT

F1 NPT
F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilindrica



CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm			Bar	PSI
3502502020	LMG02MN02	1/8"	1/8"	14	21	20,5				350	5075
3502504040	LMG04MN04	1/4"	1/4"	14	27	28				350	5075
3502506060	LMG06MN06	3/8"	3/8"	19	29	31				350	5075
3502508080	LMG08MN08	1/2"	1/2"	22	36,5	37,5				315	4568
3502510080	LMG10MN08	5/8"	1/2"	27	36,5	37,5				315	4568
3502512120	LMG12MN12	3/4"	3/4"	27	42	42				250	3625
3502516160	LMG16MN16	1"	1"	33	50	50				200	2900
3502520200	LMG20MN20	1.1/4"	1.1/4"	41	56	60				160	2320

90° ELBOW ADAPTER BSPT MALE - BSPP FIXED FEMALE

35030


Gomito 90° Maschio Gas conico - Femmina fissa

Gas cilindra

Adaptateur coude 90° Mâle conique - Femelle fixe BSPP

Adapter 90° GSK AG-konisch - IG-zöllig

Codo 90° Macho cónico - Hembra fija BSPP



F1 BSPT, Gas conico, Gaz conique, Kegeliges Gasgewinde, Rosca cónica

F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindra




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm			Bar	PSI
3503002020	LMGK02FFG02	1/8"	1/8"	14	23	17				350	5075
3503004040	LMGK04FFG04	1/4"	1/4"	19	28	22,5				350	5075
3503006060	LMGK06FFG06	3/8"	3/8"	22	32	26				350	5075
3503008080	LMGK08FFG08	1/2"	1/2"	27	37,5	31				315	4568
3503012120	LMGK12FFG12	3/4"	3/4"	33	45	34,5				250	3625
3503016160	LMGK16FFG16	1"	1"	41	55	43				200	2900

90° ELBOW ADAPTER NPT MALE - NPT FIXED FEMALE

35035

Gomito 90° Maschio NPT - Femmina fissa NPT
 Adaptateur coude 90° Mâle NPT - Femelle fixe NPT
Adapter 90° GSK AG-NPT - IG-NPT
 Codo 90° Macho NPT - Hembra fija NPT



F1 NPT


F2 NPT

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm			Bar	PSI
3503502020	LMN02FFN02	1/8"	1/8"	14	23	17				350	5075
3503504040	LMN04FFN04	1/4"	1/4"	19	28	22,5				350	5075
3503506060	LMN06FFN06	3/8"	3/8"	22	32	26				350	5075
3503508080	LMN08FFN08	1/2"	1/2"	27	37,5	31				315	4568
3503512120	LMN12FFN12	3/4"	3/4"	33	45	34,5				250	3625
3503516160	LMN16FFN16	1"	1"	41	55	43				200	2900

90° ELBOW ADAPTER BSPP FIXED FEMALE

35040

Gomito 90° Femmina fissa Gas cilindrica
Adaptateur coude 90° Femelle fixe BSPP
Adapter 90° GSK IG-zöllig
Codo 90° Hembra fija BSPP



F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm				Bar	PSI
3504002000	LFFG02	1/8"			14	17				350	5075
3504004000	LFFG04	1/4"			19	22,5				350	5075
3504006000	LFFG06	3/8"			22	26				350	5075
3504008000	LFFG08	1/2"			27	31				315	4568
3504012000	LFFG12	3/4"			33	34,5				250	3625
3504016000	LFFG16	1"			41	43				200	2900

90° ELBOW ADAPTER NPT FIXED FEMALE

35045

Gomito 90° Femmina fissa NPT
Adaptateur coude 90° Femelle fixe NPT
Adapter 90° GSK IG-NPT
Codo 90° Hembra fija NPT




F1 NPT



CODE	CODE	THREAD		DIMENSIONS						PRESSURE PN	
		F1	F2	CH mm	L1 mm					Bar	PSI
3504502000	LFFN02	1/8"		14	17					350	5075
3504504000	LFFN04	1/4"		19	22,5					350	5075
3504506000	LFFN06	3/8"		22	26					350	5075
3504508000	LFFN08	1/2"		27	31					315	4568
3504512000	LFFN12	3/4"		33	34,5					250	3625
3504516000	LFFN16	1"		41	43					200	2900

90° ELBOW ADAPTER BSPP MALE - BSPP SWIVEL FEMALE

35050



Gomito 90° Maschio Gas cilindrico SV 60° -
Femmina girevole Gas cilindrica
Adaptateur coude 90° Mâle BSPP - Femelle tournante
BSPP
Adapter 90° GSK AG-zöllig - DKR
Codo 90° Macho BSPP - Hembra giratoria BSPP


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilindrica
F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilindrica



CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm			Bar	PSI
3505002020	LMG02FGG02	1/8"	1/8"	14	15	22	28,5				350	5075
3505004040	LMG04FGG04	1/4"	1/4"	14	19	27	30,5				350	5075
3505006060	LMG06FGG06	3/8"	3/8"	19	22	29	36				350	5075
3505008080	LMG08FGG08	1/2"	1/2"	22	27	36,5	39				315	4568
3505012120	LMG12FGG12	3/4"	3/4"	27	32	42	45				250	3625
3505016160	LMG16FGG16	1"	1"	33	38	50	50				200	2900
3505020200	LMG20FGG20	1.1/4"	1.1/4"	41	50	56	64				160	2320
3505024240	LMG24FGG24	1.1/2"	1.1/2"	48	55	59	58,5				125	1813

90° ELBOW ADAPTER BSPT MALE - BSPP SWIVEL FEMALE

35055



Gomito 90° Maschio Gas conico - Femmina girevole Gas cilindrica

Adaptateur coude 90° Mâle conique - Femelle tournante BSPP

Adapter 90° GSK AG-Konisch - DKR

Codo 90° Macho cónico - Hembra giratoria BSPP


F1 BSPT, Gas conico, Gaz conique, Kegeliges Gasgewinde, Rosca cónica

F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm			Bar	PSI
3505502020	LMGK02FGG02	1/8"	1/8"	14	15	20,5	28,5				350	5075
3505504040	LMGK04FGG04	1/4"	1/4"	14	19	28	30,5				350	5075
3505506060	LMGK06FGG06	3/8"	3/8"	19	22	31	36				350	5075
3505508080	LMGK08FGG08	1/2"	1/2"	22	27	37,5	39				315	4568
3505512120	LMGK12FGG12	3/4"	3/4"	27	32	42	45				250	3625
3505516160	LMGK16FGG16	1"	1"	33	38	50	50				200	2900
3505520200	LMGK20FGG20	1.1/4"	1.1/4"	41	50	60	64				160	2320

90° ELBOW ADAPTER NPT MALE - BSPP SWIVEL FEMALE

35060



Gomito 90° Maschio NPT - Femmina girevole Gas cilindrica
Adaptateur coude 90° Mâle NPT - Femelle tournante BSPP
Adapter 90° GSK AG-NPT - DKR
Codo 90° Macho NPT - Hembra giratoria BSPP


F1 NPT
F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica



CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm			Bar	PSI
3506002020	LMN02FGG02	1/8"	1/8"	14	15	20,5	28,5				350	5075
3506004040	LMN04FGG04	1/4"	1/4"	14	19	28	30,5				350	5075
3506006060	LMN06FGG06	3/8"	3/8"	19	22	31	36				350	5075
3506008080	LMN08FGG08	1/2"	1/2"	22	27	37,5	39				315	4568
3506012120	LMN12FGG12	3/4"	3/4"	27	32	42	45				250	3625
3506016160	LMN16FGG16	1"	1"	33	38	50	50				200	2900
3506020200	LMN20FGG20	1.1/4"	1.1/4"	41	50	60	64				160	2320

90° ELBOW ADAPTER METRIC MALE - METRIC SWIVEL FEMALE

35065



Gomito 90° Maschio metrico SV 60° - Femmina girevole metrica
Adaptateur coude 90° Mâle métrique - Femelle tournante métrique
Adapter 90° GSK AG-metrisch - DKM
Codo 90° Macho métrico - Hembra giratoria métrica

F1 Metric, Metrico, Métrique, Metrisch, Métrico
F2 Metric, Metrico, Métrique, Metrisch, Métrico




CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm			Bar	PSI
3506512120	LMM12FGM12	12x1.5	12x1.5	14	15	22	28,5				350	5075
3506514140	LMM14FGM14	14x1.5	14x1.5	14	19	27	30,5				350	5075
3506516160	LMM16FGM16	16x1.5	16x1.5	19	22	29	36				350	5075
3506518180	LMM18FGM18	18x1.5	18x1.5	19	22	29	36				315	4568
3506520200	LMM20FGM20	20x1.5	20x1.5	22	27	36,5	39				315	4568
3506522220	LMM22FGM22	22x1.5	22x1.5	22	27	36,5	39				315	4568
3506526260	LMM26FGM26	26x1.5	26x1.5	27	32	42	45				250	3625
3506530300	LMM30FGM30	30x1.5	30x1.5	33	36	50	50				200	2900

90° ELBOW ADAPTER BSPP SWIVEL FEMALE

35070

Gomito 90° Femmina girevole Gas cilindrica
Adaptateur coude 90° Femelle tournante BSPP
Adapter 90° GSK DKR
Codo 90° Hembra giratoria BSPP



F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica




CODE	CODE	THREAD		DIMENSIONS						PRESSURE PN	
		F1	F2	CH1 mm	CH2 mm	L1 mm				Bar	PSI
3507002000	LFGG02	1/8"		14	15	28,5				350	5075
3507004000	LFGG04	1/4"		14	19	30,5				350	5075
3507006000	LFGG06	3/8"		19	22	36				350	5075
3507008000	LFGG08	1/2"		22	27	39				315	4568
3507012000	LFGG12	3/4"		27	32	45				250	3625
3507016000	LFGG16	1"		33	38	50				200	2900
3507020000	LFGG20	1.1/4"		41	50	64				160	2320

90° ELBOW ADAPTER METRIC SWIVEL FEMALE

35075

Gomito 90° Femmina girevole metrica
Adaptateur coude 90° Femelle tournante metrique
Adapter 90° GSK DKM
Codo 90° Hembra giratoria mètrica




F1 Metric, Metrico, Métrique, Metrisch, Métrico



CODE		CODE		THREAD	DIMENSIONS						PRESSURE PN	
		F1	F2	CH1 mm	CH2 mm	L1 mm					Bar	PSI
3507512000	LFGM12	12X1.5		14	15	28,5					350	5075
3507514000	LFGM14	14X1.5		14	19	30,5					350	5075
3507516000	LFGM16	16X1.5		19	22	36					350	5075
3507518000	LFGM18	18X1.5		19	22	36					315	4568
3507520000	LFGM20	20X1.5		22	27	39					315	4568
3507522000	LFGM22	22X1.5		22	27	39					315	4568
3507526000	LFGM26	26X1.5		27	32	45					250	3625
3507530000	LFGM30	30X1.5		33	41	50					200	2900

90° ELBOW ADJUSTABLE ADAPTER MALE BSPP - MALE BSPP

35080



Gomito 90° Maschio Gas cilindrico SV 60° - Maschio Gas cilindrico SV 60° orientabile

Adaptateur orientable coude 90° Mâle BSPP - Mâle BSPP

Drehadapter 90° GSK AG-zöllig - AG-zöllig

Codo 90° orientable Macho BSPP - Macho BSPP

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica


With O-ring and retaining ring

con O-ring e rondella di ritegno / avec O-ring et rondelle d'étanchéité / mit O-ring und halter / con junta tórica y arandela de retención

CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm			Bar	PSI
3508002020	LMG02MOG02	1/8"	1/8"	14	14	22	26				350	5075
3508002040	LMG02MOG04	1/8"	1/4"	14	19	22	34				350	5075
3508004040	LMG04MOG04	1/4"	1/4"	14	19	26	34				350	5075
3508004060	LMG04MOG06	1/4"	3/8"	19	19	28	37				350	5075
3508006060	LMG06MOG06	3/8"	3/8"	19	22	29	37				350	5075
3508006080	LMG06MOG08	3/8"	1/2"	22	27	29	45				315	4568
3508008080	LMG08MOG08	1/2"	1/2"	22	27	36,5	45				315	4568
3508008120	LMG08MOG12	1/2"	3/4"	27	36	38,5	48,5				250	3625
3508012080	LMG12MOG08	3/4"	1/2"	27	27	42	48,5				250	3625
3508012120	LMG12MOG12	3/4"	3/4"	27	36	42	48,5				250	3625
3508012160	LMG12MOG16	3/4"	1"	33	41	47	53				200	2900
3508016160	LMG16MOG16	1"	1"	33	41	50	53				200	2900
3508020200	LMG20MOG20	1.1/4"	1.1/4"	41	50	56	60				160	2320

90° ELBOW ADJUSTABLE ADAPTER METRIC MALE - METRIC MALE

35085



Gomito 90° Maschio metrico SV 60° - Maschio metrico SV 60° orientabile

Adaptateur orientable coude 90° Mâle métrique - Mâle métrique

Drehadapter 90° GSK AG-Metrisch - AG-Metrisch

Codo 90° orientable Macho métrico - Macho métrico

F1 Metric, Metrico, Métrique, Metrisch, Métrico

F2 Metric, Metrico, Métrique, Metrisch, Métrico

With O-ring and retaining ring

con O-ring e rondella di ritegno / avec O-ring et rondelle d'étanchéité / mit O-ring und halter / con junta tórica y arandela de retención




CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm			Bar	PSI
3508510120	LMM10MOMR12	10x1	12x1.5	14	14	22	26				350	5075
3508512120	LMM12MOMR12	12x1.5	12x1.5	14	14	22	26				350	5075
3508512140	LMM12MOMR14	12x1.5	14x1.5	14	19	22	34				350	5075
3508514140	LMM14MOMR14	14x1.5	14x1.5	14	19	26	34				350	5075
3508514160	LMM14MOMR16	14x1.5	16x1.5	19	19	26	37				350	5075
3508516160	LMM16MOMR16	16x1.5	16x1.5	19	22	29	37				350	5075
3508516180	LMM16MOMR18	16x1.5	18x1.5	19	22	29	37				315	4568
3508518180	LMM18MOMR18	18x1.5	18x1.5	19	22	29	37				315	4568
3508518220	LMM18MOMR22	18x1.5	22x1.5	22	27	36,5	45				315	4568
3508522220	LMM22MOMR22	22x1.5	22x1.5	22	27	36,5	45				315	4568
3508526220	LMM26MOMR22	26x1.5	22x1.5	27	36	38,5	48,5				250	3625
3508526270	LMM26MOMR27	26x1.5	27x2	27	36	42	48,5				200	2900
3508530270	LMM30MOMR27	30x1.5	27x2	33	41	47	53				180	2610
3508530330	LMM30MOMR33	30x1.5	33x2	33	41	50	53				180	2610

TEE ADAPTER BSPP MALE

35500

Adattatore "T" Maschio Gas cilindrico SV 60°
Adaptateur Té Mâle BSPP
Adapter T-Stück AG-zöllig
Adaptador Te Macho BSPP



F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilíndrica




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm				Bar	PSI
3550002000	TMG02	1/8"			14	22				350	5075
3550004000	TMG04	1/4"			14	27				350	5075
3550006000	TMG06	3/8"			19	29				350	5075
3550008000	TMG08	1/2"			22	36,5				315	4568
3550010000	TMG10	5/8"			27	36,5				315	4568
3550012000	TMG12	3/4"			27	42				250	3625
3550016000	TMG16	1"			33	50				200	2900
3550020000	TMG20	1.1/4"			41	56				160	2320

TEE ADAPTER METRIC MALE

35505

Adattatore "T" Maschio metrico SV 60°
Adaptateur Té Male metrique
Adapter T-Stück AG-metrisch
Adaptador Te Macho metrico




F1 Metric, Metrico, Métrique, Metrisch, Métrico



CODE		CODE		THREAD		DIMENSIONS					PRESSURE PN	
				F1	F2	CH mm	L1 mm				Bar	PSI
3550510000	TMM10	10x1		12	22						350	5075
3550512000	TMM12	12x1.5		12	22						350	5075
3550514000	TMM14	14x1.5		14	27						350	5075
3550516000	TMM16	16x1.5		19	29						350	5075
3550518000	TMM18	18x1.5		19	29						315	4568
3550520000	TMM20	20x1.5		22	36,5						315	4568
3550522000	TMM22	22x1.5		22	36,5						315	4568
3550526000	TMM26	26x1.5		27	42						250	3625
3550530000	TMM30	30x1.5		33	50						200	2900

RUNTEE ADAPTER BSPP MALE - BSPT MALE

35510



Adattatore "T" Maschio Gas cilindrico SV 60° -
Maschio Gas conico al braccio
Adaptateur Té Mâle BSPP - Mâle conique au bras
Adapter T-Stück AG-zöllig - AG-konisch (Arm)
Adaptador Te Macho BSPP - Macho cónico al brazo


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilíndrica
F2 BSPT, Gas conico, Gaz conique, Kegeliges Gasgewinde,
Rosca cónica



CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm			Bar	PSI
3551002020	TMG02MGK02B	1/8"	1/8"	14	22	20,5				350	5075
3551004040	TMG04MGK04B	1/4"	1/4"	14	27	28				350	5075
3551006060	TMG06MGK06B	3/8"	3/8"	19	29	31				350	5075
3551008080	TMG08MGK08B	1/2"	1/2"	22	36,5	37,5				315	4568
3551010080	TMG10MGK08B	5/8"	1/2"	27	36,5	40				315	4568
3551012120	TMG12MGK12B	3/4"	3/4"	27	42	42				250	3625
3551016160	TMG16MGK16B	1"	1"	33	50	50				200	2900
3551020200	TMG20MGK20B	1.1/4"	1.1/4"	41	56	60				160	2320

RUNTEE ADAPTER BSPP MALE - NPT MALE

35515



Adattatore "T" Maschio Gas cilindrico SV 60° - Maschio NPT al braccio
 Adaptateur Té Mâle BSPP - Mâle NPT au bras
Adapter T-Stück AG-zöllig - AG-NPT (Arm)
 Adaptador Te Macho BSPP - Macho NPT al brazo


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilíndrica
F2 NPT



CODE		CODE		THREAD	DIMENSIONS					PRESSURE PN		
					F1	F2	CH	L1	L2			
					mm		mm	mm	mm			
3551502020	TMG02MN02B	1/8"	1/8"	14	22	20,5					350	5075
3551504040	TMG04MN04B	1/4"	1/4"	14	27	28					350	5075
3551506060	TMG06MN06B	3/8"	3/8"	19	29	31					350	5075
3551508080	TMG08MN08B	1/2"	1/2"	22	36,5	37,5					315	4568
3551510080	TMG10MN08B	5/8"	1/2"	27	36,5	40					315	4568
3551512120	TMG12MN12B	3/4"	3/4"	27	42	42					250	3625
3551516160	TMG16MN16B	1"	1"	33	50	50					200	2900
3551520200	TMG20MN20B	1.1/4"	1.1/4"	41	56	60					160	2320

BRANCH TEE ADAPTER BSPP MALE - BSPT MALE

35520



Adattatore "T" Maschio Gas cilindrico SV 60° -
Maschio Gas conico al piede
Adaptateur Té Mâle BSPP - Mâle conique au pied
Adapter T-Stück AG-zöllig - AG-konisch (Fuß)
Adaptador Te Macho BSPP - Macho cónico al pie


- F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilíndrica
- F2 BSPT, Gas conico, Gaz conique, Kegeliges Gasgewinde, Rosca cónica



CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
		F1	F2	CH mm	L1 mm	L2 mm					Bar	PSI
3552002020	TMG02MGK02P	1/8"	1/8"	14	22	20,5					350	5075
3552004040	TMG04MGK04P	1/4"	1/4"	14	27	28					350	5075
3552006060	TMG06MGK06P	3/8"	3/8"	19	29	31					350	5075
3552008080	TMG08MGK08P	1/2"	1/2"	22	36,5	37,5					315	4568
3552010080	TMG10MGK08P	5/8"	1/2"	27	36,5	40					315	4568
3552012120	TMG12MGK12P	3/4"	3/4"	27	42	42					250	3625
3552016160	TMG16MGK16P	1"	1"	33	50	50					200	2900
3552020200	TMG20MGK20P	1.1/4"	1.1/4"	41	56	60					160	2320

BRANCH TEE ADAPTER BSPP MALE - NPT MALE

35525



Adattatore "T" Maschio Gas cilindrico SV 60° -
Maschio NPT al piede
Adaptateur Té Mâle BSPP - Mâle NPT au pied
Adapter T-Stück AG-zöllig - AG-NPT (Fuß)
Adaptador Te Macho BSPP - Macho NPT al pie


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilindrica
F2 NPT



CODE		CODE	THREAD	DIMENSIONS							PRESSURE PN		
			F1	F2	CH mm	L1 mm	L2 mm					Bar	PSI
3552502020	TMG02MN02P	1/8"	1/8"	14	22	20,5						350	5075
3552504040	TMG04MN04P	1/4"	1/4"	14	27	28						350	5075
3552506060	TMG06MN06P	3/8"	3/8"	19	29	31						350	5075
3552508080	TMG08MN08P	1/2"	1/2"	22	36,5	37,5						315	4568
3552510080	TMG10MN08P	5/8"	1/2"	27	36,5	40						315	4568
3552512120	TMG12MN12P	3/4"	3/4"	27	42	42						250	3625
3552516160	TMG16MN16P	1"	1"	33	50	50						200	2900
3552520200	TMG20MN20P	1.1/4"	1.1/4"	41	56	60						160	2320

RUNTEE ADAPTER BSPP FIXED FEMALE - BSPT MALE

35530




Adattatore "T" Femmina fissa Gas cilindrica -
Maschio Gas conico al braccio
Adaptateur Té Femelle fixe BSPP - Mâle conique au bras
Adapter T-Stück IG-zöllig - AG-konisch (Arm)
Adaptador Te Hembra fija BSPP - Macho cónico al brazo

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilindrica
F2 BSPT, Gas conico, Gaz conique, Kegeliges Gasgewinde,
Rosca cónica

CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm			Bar	PSI
3553002020	TFFG02MGK02B	1/8"	1/8"	14	17	20,5				350	5075
3553004040	TFFG04MGK04B	1/4"	1/4"	19	22,5	28				350	5075
3553006060	TFFG06MGK06B	3/8"	3/8"	22	26	31				350	5075
3553008080	TFFG08MGK08B	1/2"	1/2"	27	31	37,5				315	4568
3553012120	TFFG12MGK12B	3/4"	3/4"	33	34,5	45				250	3625
3553016160	TFFG16MGK16B	1"	1"	41	43	55				200	2900

RUNTEE ADAPTER NPT FIXED FEMALE - NPT MALE

35535



Adattatore "T" Femmina fissa NPT - Maschio NPT al braccio

Adaptateur Té Femelle fixe NPT - Mâle NPT au bras

Adapter T-Stück IG-NPT - AG-NPT (Arm)

Adaptador Te Hembra fija NPT - Macho NPT al brazo

F1 NPT

F2 NPT




PRESSURE PN

CODE	CODE	THREAD		DIMENSIONS						PRESSURE PN	
		F1	F2	CH mm	L1 mm	L2 mm				Bar	PSI
3553502020	TFFN02MN02B	1/8"	1/8"	14	17	20,5				350	5075
3553504040	TFFN04MN04B	1/4"	1/4"	19	22,5	28				350	5075
3553506060	TFFN06MN06B	3/8"	3/8"	22	26	31				350	5075
3553508080	TFFN08MN08B	1/2"	1/2"	27	31	37,5				315	4568
3553512120	TFFN12MN12B	3/4"	3/4"	33	34,5	45				250	3625
3553516160	TFFN16MN16B	1"	1"	41	43	55				200	2900

BRANCH TEE ADAPTER BSPP FIXED FEMALE - BSPT MALE

35540



Adattatore "T" Femmina fissa Gas cilindrica -
Maschio Gas conico al piede
Adaptateur Té Femelle fixe BSPP - Mâle conique au pied
Adapter T-Stück IG-zöllig - AG-konisch (Fuß)
Adaptador Te Hembra fija BSPP - Macho cónico al pie

- F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde,
Gas cilindrica
F2 BSPT, Gas conico, Gaz conique, Kegeliges Gasgewinde,
Rosca cónica




PRESSURE PN

CODE	CODE	THREAD		DIMENSIONS						PRESSURE PN	
		F1	F2	CH mm	L1 mm	L2 mm				Bar	PSI
3554002020	TFFG02MGK02P	1/8"	1/8"	14	17	20,5				350	5075
3554004040	TFFG04MGK04P	1/4"	1/4"	19	22,5	28				350	5075
3554006060	TFFG06MGK06P	3/8"	3/8"	22	26	31				350	5075
3554008080	TFFG08MGK08P	1/2"	1/2"	27	31	37,5				315	4568
3554012120	TFFG12MGK12P	3/4"	3/4"	33	34,5	45				250	3625
3554016160	TFFG16MGK16P	1"	1"	41	43	55				200	2900

BRANCH TEE ADAPTER NPT FIXED FEMALE - NPT MALE

35545



Adattatore "T" Femmina fissa NPT - Maschio NPT al piede
Adaptateur Té Femelle fixe NPT - Mâle NPT au pied
Adapter T-Stück IG-NPT - AG-NPT (Fuß)
Adaptador Te Hembra fija NPT - Macho NPT al pie

F1 NPT
F2 NPT




CODE		THREAD		DIMENSIONS						PRESSURE PN	
		F1	F2	CH mm	L1 mm	L2 mm				Bar	PSI
3554502020	TFFN02MN02P	1/8"	1/8"	14	17	20,5				350	5075
3554504040	TFFN04MN04P	1/4"	1/4"	19	22,5	28				350	5075
3554506060	TFFN06MN06P	3/8"	3/8"	22	26	31				350	5075
3554508080	TFFN08MN08P	1/2"	1/2"	27	31	37,5				315	4568
3554512120	TFFN12MN12P	3/4"	3/4"	33	34,5	45				250	3625
3554516160	TFFN16MN16P	1"	1"	41	43	55				200	2900

TEE ADAPTER BSPP FIXED FEMALE

35550

Adattatore "T" Femmina fissa Gas cilindrica
Adaptateur Té Femelle fixe BSPP
Adapter T-Stück IG-zöllig
Adaptador Te Hembra fija BSPP



F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica




CODE	CODE	THREAD	DIMENSIONS							PRESSURE PN	
			F1	F2	CH mm	L1 mm	L2 mm			Bar	PSI
3555002000	TFFG02	1/8"			14	17				350	5075
3555004000	TFFG04	1/4"			19	22,5				350	5075
3555006000	TFFG06	3/8"			22	26				350	5075
3555008000	TFFG08	1/2"			27	31				315	4568
3555012000	TFFG12	3/4"			33	34,5				250	3625
3555016000	TFFG16	1"			41	43				200	2900

TEE ADAPTER NPT FIXED FEMALE

35555

Adattatore "T" Femmina fissa NPT
Adaptateur Té Femelle fixe NPT
Adapter T-Stück IG-NPT
Adaptador Te Hembra fija NPT




F1 NPT



CODE	CODE	THREAD		DIMENSIONS						PRESSURE PN	
		F1	F2	CH mm	L1 mm	L2 mm				Bar	PSI
3555502000	TFFN02	1/8"		14	17					350	5075
3555504000	TFFN04	1/4"		19	22,5					350	5075
3555506000	TFFN06	3/8"		22	26					350	5075
3555508000	TFFN08	1/2"		27	31					315	4568
3555512000	TFFN12	3/4"		33	34,5					250	3625
3555516000	TFFN16	1"		41	43					200	2900

RUNTEE ADAPTER BSPP MALE - BSPP SWIVEL FEMALE

35560




Adattatore "T" Maschio Gas cilindrico SV 60° - Femmina girevole Gas cilindrica al braccio
 Adaptateur Té Mâle BSPP - Femelle tournante BSPP au bras
Adapter T-Stück AG-zöllig - DKR (Arm)
 Adaptador Te Macho BSPP - Hembra giratoria BSPP al brazo

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica
F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm			Bar	PSI
3556002020	TMG02FGG02B	1/8"	1/8"	14	15	28,5	20				350	5075
3556004040	TMG04FGG04B	1/4"	1/4"	14	19	30,5	27				350	5075
3556006060	TMG06FGG06B	3/8"	3/8"	19	22	36	29				350	5075
3556008080	TMG08FGG08B	1/2"	1/2"	22	27	39	36,5				315	4568
3556012120	TMG12FGG12B	3/4"	3/4"	27	32	45	42,5				250	3625
3556016160	TMG16FGG16B	1"	1"	33	41	50	50				200	2900
3556020200	TMG20FGG20B	1.1/4"	1.1/4"	41	50	64	56				160	2320

RUNTEE ADAPTER METRIC MALE - METRIC SWIVEL FEMALE

35565



Adattatore "T" Maschio metrico SV 60° - Femmina girevole metrica al braccio
 Adaptateur Té Mâle métrique - Femelle tournante métrique au bras
Adapter T-Stück AG-metrisch - DKM (Arm)
 Adaptador Te Macho métrico - Hembra giratoria métrica al brazo


F1 Metric, Metrico, Métrique, Metrisch, Métrico
F2 Metric, Metrico, Métrique, Metrisch, Métrico



CODE	CODE	THREAD	DIMENSIONS				PRESSURE PN					
		F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm				Bar	PSI
3556512120	TMM12FGM12B	12x1.5	12x1.5	14	15	28,5	20				350	5075
3556514140	TMM14FGM14B	14x1.5	14x1.5	14	19	30,5	27				350	5075
3556516160	TMM16FGM16B	16x1.5	16x1.5	19	22	36	29				350	5075
3556518180	TMM18FGM18B	18x1.5	18x1.5	19	24	36	29				315	4568
3556520200	TMM20FGM20B	20x1.5	20x1.5	22	27	39	36,5				315	4568
3556522220	TMM22FGM22B	22x1.5	22x1.5	22	27	39	36,5				315	4568
3556526260	TMM26FGM26B	26x1.5	26x1.5	27	32	45	42,5				250	3625
3556530300	TMM30FGM30B	30x1.5	30x1.5	33	36	50	50				200	2900

BRANCH TEE ADAPTER BSPP MALE - BSPP SWIVEL FEMALE

35570




Adattatore "T" Maschio Gas cilindrico SV 60° - Femmina girevole Gas cilindrica al piede
Adaptateur Té Mâle BSPP - Femelle tournante BSPP au pied
Adapter T-Stück AG-zöllig - DKR (Fuß)
Adaptador Te Macho BSPP - Hembra giratoria BSPP al pie

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica
F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

CODE		CODE	THREAD	DIMENSIONS						PRESSURE PN			
				F1	F2	CH1	CH2	L1	L2			Bar	PSI
						mm	mm	mm	mm				
3557002020	TMG02FGG02P	1/8"	1/8"	14	15	20	28,5					350	5075
3557004040	TMG04FGG04P	1/4"	1/4"	14	19	27	30,5					350	5075
3557006060	TMG06FGG06P	3/8"	3/8"	19	22	29	36					350	5075
3557008080	TMG08FGG08P	1/2"	1/2"	22	27	36,5	39					315	4568
3557012120	TMG12FGG12P	3/4"	3/4"	27	32	42,5	45					250	3625
3557016160	TMG16FGG16P	1"	1"	33	41	50	50					200	2900
3557020200	TMG20FGG20P	1.1/4"	1.1/4"	41	50	56	64					160	2320

BRANCH TEE ADAPTER METRIC MALE - METRIC SWIVEL FEMALE

35575



Adattatore "T" Maschio metrico SV 60° - Femmina girevole metrica al piede
Adaptateur Té Mâle métrique - Femelle tournante métrique au pied
Adapter T-Stück AG-metrisch - DKM (Fuß)
Adaptador Te Macho métrico - Hembra giratoria métrica al pie

F1 Metric, Metrico, Métrique, Metrisch, Métrico
F2 Metric, Metrico, Métrique, Metrisch, Métrico



CODE		THREAD		DIMENSIONS				PRESSURE PN				
		F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm				Bar	PSI
3557512120	TMM12FGM12P	12X1.5	12X1.5	14	15	20	28,5				350	5075
3557514140	TMM14FGM14P	14X1.5	14X1.5	14	19	27	30,5				350	5075
3557516160	TMM16FGM16P	16X1.5	16X1.5	19	22	29	36				350	5075
3557518180	TMM18FGM18P	18X1.5	18X1.5	19	22	29	36				315	4568
3557520200	TMM20FGM20P	20X1.5	20X1.5	22	27	36,5	39				315	4568
3557522220	TMM22FGM22P	22X1.5	22X1.5	22	27	36,5	39				315	4568
3557526260	TMM26FGM26P	26X1.5	26X1.5	27	32	42,5	45				250	3625
3557530300	TMM30FGM30P	30X1.5	30X1.5	33	41	50	50				200	2900



BSP

Adattatore "T" Femmina girevole Gas cilindrica

Adaptateur Té Femelle tournante BSPP

Adapter T-Stück DKR


Adaptador Te Hembra giratoria BSPP



TEE ADAPTER METRIC SWIVEL FEMALE

35585

Adattatore "T" Femmina girevole metrica
Adaptateur Té Femelle tournante métrique
Adapter T-Stück DKM
Adaptador Te Hembra giratoria métrica




F1 Metric, Metrico, Métrique, Metrisch, Métrico



CODE		CODE		THREAD	DIMENSIONS						PRESSURE PN	
		F1	F2	CH1 mm	CH2 mm	L1 mm					Bar	PSI
3558512000	TFGM12	12X1.5		14	15	28,5					350	5075
3558514000	TFGM14	14X1.5		14	19	30,5					350	5075
3558516000	TFGM16	16X1.5		19	22	36					350	5075
3558518000	TFGM18	18X1.5		19	22	36					315	4568
3558520000	TFGM20	20X1.5		22	27	39					315	4568
3558522000	TFGM22	22X1.5		22	27	39					315	4568
3558526000	TFGM26	26X1.5		27	32	45					250	3625
3558530000	TFGM30	30X1.5		33	41	50					200	2900

BRANCH ADJUSTABLE TEE ADAPTER BSPP MALE - BSPP MALE

35590



Adattatore "T" Maschio Gas cilindrico SV 60° - Maschio Gas cilindrico orientabile al piede
 Adaptateur Té Mâle BSPP - Mâle BSPP orientable au pied
Drehadapter T-Stück AG-zöllig - AG-zöllig (Fuß)
 Adaptador Te Macho BSPP - Macho BSPP orientable al pie

F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica


F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrica

With O-ring and retaining ring
 con O-ring e rondella di ritegno / avec O-ring et rondelle d'étanchéité / mit O-ring und halter / con junta tórica y arandela de retención

CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm			Bar	PSI
3559002020	TMG02MOG02P	1/8"	1/8"	14	19	21	26				350	5075
3559002040	TMG02MOG04P	1/8"	1/4"	14	19	22,5	34				350	5075
3559004040	TMG04MOG04P	1/4"	1/4"	14	19	26	34				350	5075
3559004060	TMG04MOG06P	1/4"	3/8"	19	19	27	32				350	5075
3559006060	TMG06MOG06P	3/8"	3/8"	19	22	29	37				350	5075
3559006080	TMG06MOG08P	3/8"	1/2"	22	27	29	45				315	4568
3559008080	TMG08MOG08P	1/2"	1/2"	22	27	36,5	45				315	4568
3559008120	TMG08MOG12P	1/2"	3/4"	27	36	38	48,5				250	3625
3559012080	TMG12MOG08P	3/4"	1/2"	27	27	42	48,5				250	3625
3559012120	TMG12MOG12P	3/4"	3/4"	27	36	42	48,5				250	3625
3559012160	TMG12MOG16P	3/4"	1"	33	41	47	53				200	2900
3559016160	TMG16MOG16P	1"	1"	33	41	50	53				200	2900
3559020200	TMG20MOG20P	1.1/4"	1.1/4"	41	50	56	60				160	2320

BRANCH ADJUSTABLE TEE ADAPTER METRIC MALE - METRIC MALE

35592



Adattatore "T" Maschio metrico SV 60° - Maschio metrico orientabile al piede

Adaptateur Té Mâle métrique - Mâle métrique orientable au pied

Drehadapter T-Stück AG-metrisch - AG-metrisch (Fuß)

Adaptador Te Macho métrico - Macho métrico orientable al pie

F1 Metric, Metrico, Métrique, Metrisch, Métrico

F2 Metric, Metrico, Métrique, Metrisch, Métrico

With O-ring and retaining ring


con O-ring e rondella di ritegno / avec O-ring et rondelle d'étanchéité / mit O-ring und halter / con junta tórica y arandela de retención



CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
		F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm				Bar	PSI
3559210120	TMM10MOMR12P	10x1	12x1.5	14	19	21	26				350	5075
3559212120	TMM12MOMR12P	12x1.5	12x1.5	14	19	21	26				350	5075
3559212140	TMM12MOMR14P	12x1.5	14x1.5	14	19	22	34				350	5075
3559214140	TMM14MOMR14P	14x1.5	14x1.5	14	19	26	34				350	5075
3559214160	TMM14MOMR16P	14x1.5	16x1.5	19	19	27	32				350	5075
3559216160	TMM16MOMR16P	16x1.5	16x1.5	19	22	29	37				350	5075
3559216180	TMM16MOMR18P	16x1.5	18x1.5	19	22	29	37				315	4568
3559218180	TMM18MOMR18P	18x1.5	18x1.5	19	22	29	37				315	4568
3559218220	TMM18MOMR22P	18x1.5	22x1.5	22	27	36,5	45				315	4568
3559222220	TMM22MOMR22P	22x1.5	22x1.5	22	27	36,5	45				315	4568
3559226220	TMM26MOMR22P	26x1.5	22x1.5	27	36	38	48,5				250	3625
3559226270	TMM26MOMR27P	26x1.5	27x2	27	36	42	48,5				200	2900
3559230270	TMM30MOMR27P	30x1.5	27x2	33	41	47	53				180	2610
3559230330	TMM30MOMR33P	30x1.5	33x2	33	41	50	53				180	2610

RUN ADJUSTABLE TEE ADAPTER MALE BSPP - MALE BSPP

35594



Adattatore "T" Maschio Gas cilindrico SV 60° - Maschio Gas cilindrico orientabile al braccio
 Adaptateur Té Mâle BSPP - Mâle BSPP orientable au bras
Drehadapter T-Stück AG-zöllig - AG-zöllig (Arm)
 Adaptador Te Macho BSPP - Macho BSPP orientable al brazo


F1 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrca
F2 BSPP, Gas cilindrico, Gaz cylindrique, Zylinder Gasgewinde, Gas cilindrca

With O-ring and retaining ring
 con O-ring e rondella di ritegno / avec O-ring et rondelle d'étanchéité / mit O-ring und halter / con junta tórica y arandela de retención

CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm			Bar	PSI
3559402020	TMG02MOG02B	1/8"	1/8"	14	19	21	26				350	5075
3559402040	TMG02MOG04B	1/8"	1/4"	14	19	22,5	34				350	5075
3559404040	TMG04MOG04B	1/4"	1/4"	14	19	26	34				350	5075
3559404060	TMG04MOG06B	1/4"	3/8"	19	19	27	32				350	5075
3559406060	TMG06MOG06B	3/8"	3/8"	19	22	29	37				350	5075
3559406080	TMG06MOG08B	3/8"	1/2"	22	27	29	45				315	4568
3559408080	TMG08MOG08B	1/2"	1/2"	22	27	36,5	45				315	4568
3559408120	TMG08MOG12B	1/2"	3/4"	27	36	38,5	48,5				250	3625
3559412080	TMG12MOG08B	3/4"	1/2"	27	27	42	48,5				250	3625
3559412120	TMG12MOG12B	3/4"	3/4"	27	36	42	48,5				250	3625
3559412160	TMG12MOG16B	3/4"	1"	33	41	47	53				200	2900
3559416160	TMG16MOG16B	1"	1"	33	41	50	53				200	2900
3559420200	TMG20MOG20B	1.1/4"	1.1/4"	41	50	56	60				160	2320

RUN ADJUSTABLE TEE ADAPTER METRIC MALE - METRIC MALE

35596



Adattatore "T" Maschio metrico SV 60° - Maschio metrico orientabile al braccio

Adaptateur Té Mâle métrique - Mâle métrique orientable au bras

Drehadapter T-Stück AG-metrisch - AG-metrisch (Arm)

Adaptador Te Macho métrico - Macho métrico orientable al brazo

F1 Metric, Metrico, Métrique, Metrisch, Métrico

F2 Metric, Metrico, Métrique, Metrisch, Métrico

With O-ring and retaining ring

con O-ring e rondella di ritegno / avec O-ring et rondelle d'étanchéité / mit O-ring und halter / con junta tórica y arandela de retención




CODE	CODE	THREAD	DIMENSIONS								PRESSURE PN	
			F1	F2	CH1 mm	CH2 mm	L1 mm	L2 mm			Bar	PSI
3559610120	TMM10MOMR12B	10x1	12x1.5	14	19	21	26				350	5075
3559612120	TMM12MOMR12B	12x1.5	12x1.5	14	19	21	26				350	5075
3559612140	TMM12MOMR14B	12x1.5	14x1.5	14	19	22	32				350	5075
3559614140	TMM14MOMR14B	14x1.5	14x1.5	14	19	26	34				350	5075
3559614160	TMM14MOMR16B	14x1.5	16x1.5	19	19	27	32				350	5075
3559616160	TMM16MOMR16B	16x1.5	16x1.5	19	22	29	37				350	5075
3559616180	TMM16MOMR18B	16x1.5	18x1.5	19	22	29	37				315	4538
3559618180	TMM18MOMR18B	18x1.5	18x1.5	19	22	29	37				315	4538
3559618220	TMM18MOMR22B	18x1.5	22x1.5	22	27	36,5	45				315	4538
3559622220	TMM22MOMR22B	22x1.5	22x1.5	22	27	36,5	45				315	4538
3559626220	TMM26MOMR22B	26x1.5	22x1.5	27	36	38	48,5				250	3625
3559626270	TMM26MOMR27B	26x1.5	27x2	27	36	42	48,5				200	2900
3559630270	TMM30MOMR27B	30x1.5	27x2	33	41	47	53				180	2610
3559630330	TMM30MOMR33B	30x1.5	33x2	33	41	50	53				180	2610

SLIP FLANGE CLAMPS 3000 PSI

36000

Coppia di semi flange SAE J518 - 3000 PSI
Brides Monobloc 3000 PSI
Halbflansch 3000 PSI
Semibrida 3000 PSI




CODE	CODE	SIZE	DIMENSIONS							
		Inch	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm
3600008000	SFL08	1/2"	54	22,8	38,1	8,75	8,7	19	13	30,96
3600012000	SFL12	3/4"	65	25,9	47,6	10,75	11,1	22	14	38,89
3600016000	SFL16	1"	70	29,2	52,4	10,75	13,1	24	16	45,24
3600020000	SFL20	1.1/4"	79	36,3	58,7	12	15,1	22	14	51,59
3600024000	SFL24	1.1/2"	94	41,1	69,9	13,5	17,9	25	16	61,09
3600032000	SFL32	2"	102	48,2	77,8	13,5	21,4	26	16	72,24

SLIP FLANGE CLAMPS 6000 PSI

36002

Coppia di semi flange SAE J518 - 6000 PSI
Brides Monobloc 6000 PSI
Halbflansch 6000 PSI
Semibrida 6000 PSI



CODE	CODE	SIZE	DIMENSIONS							
		Inch	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm
3600208000	SFP08	1/2"	56	23,6	40,5	8,75	9,1	22	16	32,54
3600212000	SFP12	3/4"	71	30	50,8	11	11,9	28	19	42,06
3600216000	SFP16	1"	81	34,8	57,1	13	13,9	33	24	48,41
3600220000	SFP20	1.1/4"	95	38,6	66,7	15	15,9	38	27	54,76
3600224000	SFP24	1.1/2"	113	47,5	79,4	17	18,3	43	30	64,29
3600232000	SFP32	2"	133	56,9	96,8	21	22,2	52	37	80,16